



# NEW WESTMINSTER

August 10, 2011

**ADDENDUM #1  
NWRFP-11-15  
Supply and Installation of Synthetic Turf  
Queen's Park Synthetic Field  
New Westminster, BC**

This addendum modifies the Request for Proposal only as noted:

**13.0 Scope of Work**

**Section 13.2, c)**

First sentence, change to read:

“Providing adequate surfacing to cover a finished surface area of the synthetic turf field of approximately 8,850 square meters.”

**Appendix B – Synthetic Turf Performance Specifications**

**Section 1.2.8.1 (Page 12)**

First sentence, change to read:

“The synthetic turf is to be a minimum 2.36 **inches** high monofilament fibre with a cryogenic or ambient ground crumb rubber and sand infill (30% max by volume).”

**Section 1.2.8.4 (Page 12)**

Change to read:

4. Colour of synthetic turf to be green as approved by Owner with white (soccer/softball), red/blue (mens/womens field lacrosse respectively) and black (mini soccer) as called for on the Plans for the lines and markings. The fibre used for the lines and markings shall be of the same composition as that used for the green field areas.



# NEW WESTMINSTER

## Section 1.3.10.3 (Page 16)

Change to read:

Green Turf	50 square meters
White Turf	10 lineal meters of 120 mm wide lines
Red Turf	10 lineal meters of 100 mm wide lines
Blue Turf	10 lineal meters of 100 mm wide lines
Black Turf	10 lineal meters of 100 mm wide lines

### END OF ADDENDUM #1

Please acknowledge this addendum in your Proposal.

Yours truly,

Heather M. Rossi  
Intermediate Buyer  
email: hrossi@newwestcity.ca