

November 7, 2022

ADDENDUM #1
NWIT-22-19
2022 Sewer Rehabilitation Program
CIPP Lining
New Westminister, BC

This addendum modifies the Invitation to Tender only as noted:

ITEM 1 CHANGE

Replace:

- 3.1 Installer Qualifications**
- .1 To be Commercially Proven, an Installer must satisfy all insurance, financial, and bonding requirements of the City of New Westminister, and must have had at least five (5) years active experience and a minimum of 6,000 linear metres of commercial installation of CIPP products in gravity sewer applications. Acceptable documentation supporting the above must be submitted to the City of New Westminister.
 - .2 Both the CIPP tube manufacturer and lining installer shall operate under a quality management system which is third-party certified to ISO 9001:2008 Standard or other internationally recognized organization standards. Additionally, if the lining installer is not the CIPP tube manufacturer, the lining installer must be formally licensed by the CIPP tube manufacturer to install the product. Proof of ISO certification and licensing status, as applicable, shall be required for approval.

Should be replaced with:

3.1 Installer Qualifications

- .3 To be Commercially Proven, an Installer must satisfy all insurance, financial, and bonding requirements of the City of New Westminster, and must have had at least five (5) years active experience and a minimum of 6,000 linear metres of commercial installation with the proposed CIPP products in gravity sewer applications. Acceptable documentation supporting the above must be submitted to the City of New Westminster.
- .4 Both the CIPP tube manufacturer and lining installer shall operate under a quality management system which is third-party certified to ISO 9001:2008 Standard or other internationally recognized organization standards. Additionally, if the lining installer is not the CIPP tube manufacturer, the lining installer must show their experience to install the CIPP tube manufacturer product. Proof of ISO certification and installation experience, as applicable, shall be required for approval.

Please acknowledge this addendum as directed in the Form of Tender.

END OF ADDENDUM #1

Yours truly,

A handwritten signature in black ink, appearing to be 'Patrick Shannon', with a long horizontal line extending to the right.

Patrick Shannon, SCMP
Purchasing Manager
City of New Westminster