



---

---

## CITY OF NEW WESTMINSTER REQUIRED PLUMBING INSPECTIONS

---

---

1. **Service Connection Inspection**  
This inspection is required when all piping for the water service, storm and sanitary sewer has been installed, when the storm sump has been installed but prior to backfilling.  
*(Performed by the City Plumbing Inspector)*
  
2. **Drain Tile Inspection**  
This inspection is required when the drain tile is in place and covered with the min. 6" of drain rock. The foundation damp-proofing will be inspected as well at this time.  
*(Performed by the City Plumbing Inspector)*
  
3. **Rough Plumbing Inspection**  
This inspection is required when all drainage, waste, vent piping and all domestic water distribution piping has been completed, and all appropriate tests applied.  
NOTE: Any plumbing to be covered by concrete must first be inspected and approved.  
*(Performed by the City Plumbing Inspector)*
  
4. **Hot Water Heating Inspection**  
This inspection is required for all hot water heating systems.  
*(Performed by the City Plumbing Inspector)*
  
5. **Sprinkler Inspections**  
This inspection is required for all sprinkler systems, which includes Rough-in, testing and final operation of a fire protection system.  
*(Performed by the City plumbing Inspector)*
  
6. **Final Plumbing Inspection**  
This inspection is required when all plumbing fixtures have been installed, cleaned and all plumbing related systems are complete and operating, all outside service connections and components have been completed, all roof water gutters and downspouts have been completed.  
*(Performed by the City Plumbing Inspector)*

### 24 HOUR INSPECTION REQUEST LINE

**PHONE: Plumbing (604) 527-4610**

**All inspection requests MUST contain this information:**

- permit number
- type of inspection requested
- address of building site
- contact name and phone #