CITY OF NEW WESTMINSTER

WATER QUALITY MONITORING REPORT

2021

TABLE OF CONTENTS

1.0 INTRODUCTION 3

2.0 WATER QUALITY PROGRAM 3

2.1 DRINKING WATER TREATMENT PROGRAM.....4

2.2 WATER SAMPLING AND TESTINGPROGRAM.....4

2.2.1 METRO VANCOUVER PROGRAM.....4

2.2.2 CITY OF NEW WESTMINSTER PROGRAM.....5

3.0 DRINKING WATER PROTECTION ACT & REGULATION……..8

3.1 SAMPLE ANALYSIS RESULTS.....9

4.0 RESPONSE TO PROBLEMS AND IMPROVEMENTS PROPOSED.....19

5.0 CONCLUSIONS.....20

APPENDIX A.....21

APPENDIX B.....26

1.0 INTRODUCTION

The Drinking Water Protection Act sets out criteria for drinking water operators to ensure provision of safe drinking water. Provisions include required approval of system construction proposals, system operating permits, minimum water treatment standards and sampling, public notification procedures and operator certification.

In 2003 the Province brought into effect the Drinking Water Protection Regulation (DWPR). Under these Regulations, a water purveyor is required to collect water samples and publish the results in accordance with the Schedule A (microbiological standards for E. coli, and total coliform) and Schedule B (frequency monitoring requirements) or as requested by the Medical Health Officer.

In 2006, Metro Vancouver member municipalities agreed to follow the Water Quality Monitoring and Reporting Plan which incorporates the DWPR schedules and was approved by the Local Health Authority.

The "*Guidelines for Canadian Drinking Water Quality*" are published by Health Canada on behalf of the Federal-Provincial-Territorial Committee on Drinking Water (CDW). The summary tables within this report are updated to reflect the latest quality guidelines published on-line at the Health Canada's Website:

https://www.canada.ca/en/health-canada/services/environmental-workplace-health/water-quality/drinking-water/canadian-drinking-water-guidelines.html

Under the Drinking Water Protection Act, municipalities are required to obtain a permit to operate a water distribution system and produce an annual report summarizing the water quality. New Westminster obtained a permit to operate a water distribution system from the Health Authority in 1996, and has produced many previous annual Water Quality Monitoring Reports. Furthermore, water operations are classified via the Environmental Operations Certification Program (EOCP) and New Westminster has been classified as a Level 2 system. A copy of the classification certificate and the individual certificates of qualification are provided in Appendix A.

2.0. WATER QUALITY PROGRAM

The City is provided with water from both of Metro Vancouver's water treatment plants, the Seymour Capilano Filtration Plant (SCFP) and the Coquitlam Water Treatment Plant (CWTP). All of Metro Vancouver's source waters come from three protected watersheds; Capilano, Seymour and Coquitlam. Treatment at SCFP is by filtration, Ultra Violet disinfection (UV), chlorine and is pH adjusted before leaving the plant. Coquitlam source is treated first with ozone, next the pH is adjusted, the water is then disinfected with UV and finally chlorine is added.

2.1 DRINKING WATER TREATMENT PROGRAM

The Drinking Water Treatment Program is a multi-phased program, which has started with the commissioning of several secondary disinfection stations throughout the region. The major elements in this program are as follows:

- Secondary disinfection stations phase 1 - completed in 1998
- Primary disinfection with ozone of Coquitlam – completed in 2000
- pH buffer and corrosion control, full implementation – completed in 2015 for the Coquitlam source
- Seymour filtration plant – completed in 2009
- Coquitlam ultraviolet treatment – completed in 2014
- Capilano pump station and twin tunnels – completed in 2015
- Capilano source filtered following the completion of the tunnels
- Second Intake on the Coquitlam Source – in Metro Vancouver current 10 Year Plan

2.2 WATER SAMPLING AND TESTING PROGRAM

2.2.1 Metro Vancouver Program

Table 1 outlines the water sampling and testing program undertaken by Metro Vancouver. This table is copied from the Greater Vancouver Water District Quality Control Annual Report 2000.

Water sampling and testing as described in the table meets the requirements of the Water Quality Monitoring and Reporting Plan (WQMRP) for Metro Vancouver and part of the requirements for member municipalities.

Table 1 Water Sampling and Testing Program*


Water Type	Parameter	Frequency
Untreated source water	total and *E. coli*	Daily
	turbidity	Daily
	Giardia and *Cryptosporidium*	Monthly
	ammonia, colour, iron, organic carbon, pH	Weekly
	alkalinity, chloride, calcium, hardness, magnesium, manganese, nitrate, nitrite, potassium, phosphate, sulphate	Monthly
	aluminum, copper, sodium, total and suspended solids	Bi-monthly
	trihalomethanes, haloacetic acids	Quarterly
	antimony, arsenic, barium, boron, cadmium, cyanide, chromium, lead, mercury, nickel, phenols, selenium, silver, zinc	Semi-annually
	pesticides and herbicides	Annually
	PAHs, BTEXs	Annually
	VOC	Annually
	radioisotopes	Annually
Treated water	total coliform and *E. coli*	Daily
	turbidity	Daily

Water Type	Parameter	Frequency
	Temperature	Daily
	ammonia, colour, iron, organic carbon, pH	Weekly
	aluminum, copper, sodium, total and suspended solids	Bi-monthly
	trihalomethanes, haloacetic acids	Quarterly at selected sites
	antimony, arsenic, barium, boron, cadmium, cyanide, chromium, lead, mercury, nickel, phenols, selenium, silver, zinc	Semi-annually
Metro Vancouver Water Mains	total coliform and *E. coli*	Weekly per site
	heterotrophic plate count	Weekly per site
	free chlorine	Weekly per site
	Trihalomethanes, haloacetic acids, pH	Quarterly at selected sites
	PAHs, BETXs	Semi-annually at selected sites
Metro Vancouver Reservoirs	total and *E. coli*	Weekly per site
	heterotrophic plate count	Weekly per site
	free chlorine	Weekly per site
Municipal Distribution System sites	total coliform and *E. coli*	Weekly per site
	heterotrophic plate count	Weekly per site
	free chlorine	Weekly per site
	turbidity	Weekly per site
	trihalomethanes, haloacetic acids, pH	Quarterly at selected sites

2.2.2 City of New Westminster Program

In 2021, the City of New Westminster had 15 dedicated sampling stations and each pressure zone had at least one sample station.

The locations of these sample stations can be seen in Figure 1. In addition Metro Vancouver also has three sampling stations located within the city and one immediately adjacent to the city limits to monitor the quality of the water being delivered to New Westminster.



Water Quality Sampling Station Locations			
Name	Locations	Name	Locations
DmNWR 330	1000 Columbia St	DmNWR 338	142 Carroll St
DmNWR 331	2347 Trapp Rd	DmNWR 339	332 Alberta St
DmNWR 332	Fifteenth St & Dublin St	DmNWR 340	700 BLK Seventh Ave
DmNWR 333	1351 Salter St	DmNWR 341	800 BLK Queens Ave
DmNWR 334	Chilliw ack St & Churchill Ave	DmNWR 342	Salter St & Carter St
DmNWR 335	Cariboo St & Thirteenth St	DmNWR 343	250 Francis Way
DmNWR 336	37 Agnes St	DmNWR 344	210 Salter St
DmNWR 337	End of Arbutus St		

NEW WESTMINSTER
Engineering Services

Figure 1:
Watermain, Pressure Zones and Water Quality Sampling Stations

Scale: Not To Scale
Printed: 01 Jun 2022

Map information provided herein is derived from sources with varying levels of accuracy. The City of New Westminster disclaims all responsibility for the accuracy or completeness of information contained herein.

Table 2 below identifies the locations, normal flow, main size and pressure zone within which each site is situated.

Table 2 Sample Sites

Site Code	Location	Normal Flow*	Main Size (mm)	Pressure Zone
DmNWR-330	1000 Quayside Drive	M	250	350
DmNWR-331	2347 Trapp Road	D	150	425
DmNWR-332	15th St. & Dublin St.	L/M	150	550
DmNWR-333	201 Phillips St.	L	150	350
DmNWR-334	Chilliwack & Churchill St.	M	200	650
DmNWR-335	Cariboo & 13th St.	L	150	504
DmNWR-336	37 Agnes St.	L	150	504
DmNWR-337	End of Arbutus St.	L	150	550
DmNWR-338	142 Carroll St.	L	150	504
DmNWR-339	332 Alberta St.	LL**	150	410
DmNWR-340	700 BLK 7th Avenue	M	250	550
DmNWR-341	800 BLK Queens Avenue	M	250	504
DmNWR-342	Salter & Carter St.	L	200	350
DmNWR-343	250 Francis Way	M	200	504E
DmNWR-344	210 Salter Street	M	250	350W
GV-015	19th and Stride	S		GVWD
GV-028	Westburnco Reservoir	S		GVWD
GV-041	Royal Ave. & McBride	S		GVWD
GV-053	Queensborough	S		GVWD

***L - Low**

***M - Medium**

***H - High**

***S - Supply**

***D - Dead End**

****LL - Previous Dead end, system looped in 2005**

Samples are taken weekly at each site and a total of 1215 New Westminster samples were analyzed in 2021 for:

- total coliform and E.coli
- heterotrophic plate count
- free chlorine
- turbidity
- temperature

Additional samples were collected and analyzed for a wider variety of parameters on a less frequent basis. In 2021, 6 samples were collected and tested for various metals and 12 samples were tested for disinfection byproducts.

All samples were obtained by Metro Vancouver personnel and analyzed at the Metro Vancouver laboratory. Sample analysis results are sent simultaneously to both the City and Medical Health Officer.

The Drinking Water Protection Regulation requires 1 sample / 1000 residents on a monthly basis for cities with population between 5000 and 90,000 residents. During 2021 New Westminster had approximately 82,866 residents, which equates to 996 samples required annually. The total number of samples collected during 2021 was 1215 from New Westminster stations, which is above the minimum number of tests as required by the DWPR.

New Westminster's population has increased significantly in the last few years (i.e. the population in 2006 was 58,000). As the population increased, the number of samples required also needed to increase. After careful consideration, in 2021 two new sampling stations were installed in the new high density Victoria Hill development and Port Royal in Queensborough (NWR 343 and NWR 344, respectively).

In addition to obtaining and analyzing samples, the City undertakes an annual program of unidirectional water main flushing including notification to residents through media releases. Every year, approximately half of the City's watermains are flushed to remove accumulated sediment in the months between February and June; areas of low flow are flushed more frequently to maintain chlorine levels. This is a very effective tool in protecting water quality.

3.0 DRINKING WATER PROTECTION ACT & REGULATION

The Drinking Water Protection Regulation (DWPR) establishes the following microbiological standards for which samples must be analyzed and fall in compliance with:

- There must be non-detectable levels of E.coli in any 100 ml of sample;
- 90% or more of the samples must have non-detectable levels of total coliform per 100 mL;
- No consecutive samples from the same site should have the presence of total coliforms; and
- No sample has more than 10 total coliform bacteria per 100ml.

In addition to the requirements of the DWPR, a variety of parameters were tested including:

- Heterotrophic plate count (HPC),
- Free chlorine residual
- Turbidity
- Temperature
- Metals
- Disinfection by-products (DBPs), particularly trihalomethanes (THMs) and haloacetic acids (HAAs)

The monitoring results for both the DWPR required parameters and the additional parameters are presented in Section 3.1. Some of the additional parameters are intended to provide an early indication of potential water quality problems (i.e. HPC, chlorine residual, & turbidity). The remaining parameters are sampled less frequently and are intended to help characterize the quality of the water and any potential impacts from the water treatment process.

There are no regulated concentrations for the additional parameters; however, the following levels are used to assess the acceptability of the sampling results.

1. To prevent bacterial re-growth, a minimum residual chlorine concentration of 0.1 ppm is suggested by The Health Department. To be conservative, a concentration of 0.2 ppm is the accepted target.
2. A HPC concentration of 500 CFU / ml is considered to be indicative of re-growth within the system
3. The Guidelines for Canadian Drinking Water Quality recommend a Maximum Acceptable Concentration of 1.0 NTU for turbidity. Results are presented for both 1 NTU and 2 NTU.

3.1 SAMPLE ANALYSIS RESULTS

The microbiological and physical parameters that were sampled regularly are summarized in Table 3. The number of samples collected, as well as the minimum, maximum and average concentrations for chlorine residual, turbidity, temperature, and HPC are provided. The number of positive Total coliform and E.coli samples are also summarized.

The analysis performed on the City's water samples showed the drinking water supplied through the distribution system was compliant with the standards of the DWPR. Specific site samples did occasionally fall below the Canadian guidelines for chlorine residuals but on average the system is compliant, and consistent with previous years' results.

The average chlorine residual objective of 0.2 ppm was met by all stations, except for NW 338 (Caroll Street), a low flow, dead end main with chronically low residuals. In response to chronically low chlorine residuals at NW 338 (Caroll St.) and NW 331 (Trapp Rd.), the City has installed automatic flushers at both these dead-end locations in 2021. Consequently, the Chlorine residuals have improved noticeably since the installation of the flushers. All New Westminster sampling stations meet the average 0.1 ppm requirement. Table 4 identifies the sample sites and the percentage of samples with less than the guideline objective of 0.2 mg/l residual free chlorine. We have also included the percentage of samples with less than 0.1 mg/l residual free chlorine as Metro Vancouver data indicates that 0.1 mg/l is adequate to prevent bacterial re-growth. Figure 2 illustrates the average chlorine residual concentration graphically throughout the City. The City has developed a Water Master Plan which identifies the age and source of water and provides recommendations for future upgrades. Sites with lower chlorine residuals are reviewed during the planning and scheduling process for future water main works.

The City is continuing to implement an asset management program which will aid in the maintenance and timely replacement of components of the City's potable water system.

There were a total of six incidences of total coliform colonies identified in water samples within the New Westminster system and one lab anomaly. The 30 day average did not exceed 10% and 3 samples exceeded the 10 Total Coliform bacteria per 100ml criteria. One sample appeared to test positive for E.coli, but it was a lab anomaly; upon re-testing of the same station it returned negative and in compliance. The compliance with the DWPR is shown on Figure 4.

Turbid water is delivered to customers if the source water is turbid or the direction of flow for water supply is reversed and sediment is stirred up in the pipeline. Turbid water complaints are often encountered during the annual flushing program as this procedure can disturb sediment in the water main.

Turbidity is recorded for each sample taken from a city station; however only during heavy rainfall events is the Metro Vancouver turbidity recorded. Results for 2021 indicated the average turbidity was less than 1.0 NTU except for 42 individual New Westminster samples. Review of the individual turbidity readings for all samples indicated that 3.4% of the samples exceeded 1 NTU and less than 1% of the samples exceeded 2 NTU. This was a net improvement over the 2020 data.

Similarly, HPC bacteria were monitored at each sampling site. The objective of fewer than 500 CFU per ml was met for all samples in 2021 except for 1 occurrence.

Testing of disinfection by-products (DBPs), trihalomethanes (THMs) and haloacetic acids (HAAs) was initiated in 2000. The commissioning of the re-chlorination stations in 1998 by Metro Vancouver increased the likelihood for the formation of DBPs and therefore the City's water supply is tested for these compounds at three locations on a quarterly basis.

The Guidelines for Canadian Drinking Water Quality established the maximum concentration for total THMs at 100 parts per billion (ppb) and 80 ppb for HAAs. A summary of sample results for THMs and HAAs is shown in Table 5. Review of the results indicates that THM levels measured were within the guideline limits and that the concentrations are relatively constant. There were no samples of THMs or HAAs above the guidelines, and the overall DBP levels have been improving since 2010.

Samples were also analyzed for various metal parameters during 2021. The results of the sampling are provided in Table 6. All of the samples were below the accepted Canadian Guideline Limits,

The following message has been included at the request of the medical health officer.

A Public Health Message from the Medical Health Officer/ Drinking Water Officer

Water Flushing Message

Water from taps that are not used for several hours is good for washing or watering plants but not for drinking or cooking, as it may contain elevated levels of lead or copper. Run the water for at least one minute, or until the water is cold before using it for drinking or cooking. For the same reason never use water from hot taps for drinking or cooking.


Conserving water is still important. Rather than just running the water down the drain, you could use the water for things such as watering your plants.

Table 3 - Summary of Microbiological and Physical Results

Location ID	No.	Chlorine Residual (ppm)			Turbidity (NTU)			Temperature (°C)			HPC (CFU/ml)			No. Positive Tests		
	Samples	Min	Avg	Max	Min	Avg	Max	Min	Avg	Max	Min	Avg	Max	Ecoli	Total Coliform	>10 Total Coliform
NWR-330	86	0.26	0.81	1.40	0.28	0.60	2.20	4.3	9.8	18.5	<2	2.4	44	None	None	None
NWR-331	73	0.04	0.37	0.80	0.09	0.26	4.90	6.2	14.2	23.6	<2	10.5	180	None	1	None
NWR-332	86	0.39	0.62	0.89	0.08	0.25	1.10	3.7	9.4	18.2	<2	1.9	2	None	None	None
NWR-333	57	0.30	0.76	1.24	0.20	0.41	1.40	4.6	10.7	18.4	<2	2.0	4	None	None	None
NWR-334	102	0.00	0.43	0.95	0.16	0.77	4.30	4.4	9.8	17.6	<2	39.0	430	None	None	None
NWR-335	86	0.06	0.41	0.76	0.10	0.28	3.90	4.7	11.6	20.0	<2	6.9	120	None	None	None
NWR-336	90	0.00	0.43	0.95	0.10	0.25	1.60	4.4	11.4	20.5	<2	3.1	18	None	1	None
NWR-337	101	0.07	0.38	0.82	0.10	0.26	3.80	3.7	11.0	18.8	<2	3.3	68	2	2	2
NWR-338	83	0.00	0.19	0.80	0.12	0.24	0.69	4.7	11.8	19.8	<2	13.6	82	None	1	1
NWR-339	98	0.01	0.37	1.12	0.14	0.30	0.59	4.5	10.9	18.5	<2	35.6	930	None	None	None
NWR-340	94	0.13	0.49	1.03	0.09	0.22	0.80	4.8	10.3	17.7	<2	2.6	36	None	None	None
NWR-341	84	0.04	0.45	1.00	0.11	0.28	0.88	4.7	10.7	18.6	<2	3.6	52	None	1	None
NWR-342	59	0.48	0.61	0.96	0.18	0.60	13.00	4.9	11.5	19.4	<2	1.9	2	None	None	None
NWR-343	70	0.00	0.90	1.39	0.21	0.47	2.10	3.50	10.23	18.20	<2	2.30	30.00	None	None	None
NWR-344	46	0.00	0.70	1.03	0.23	0.42	1.30	4.80	10.86	16.60	<2	2.04	6.00	None	None	None
Sub-Total or City Average	**1215**	**0.00**	**0.53**	**1.40**	**0.08**	**0.37**	**13.00**	**3.5**	**10.9**	**23.6**	**0.00**	**8.7**	**930**	**2**	**6**	**3**

Table 4 - Summary of Chlorine Residual Levels

Location ID	Location	No. Samples	No. with <0.2ppm	% with <0.2ppm	No. with <0.1ppm	% with <0.1ppm	No. of Turb samples with >1.0 NTU	No. of Turb samples with >2.0 NTU	No. of HPC samples with >500 CFU/100ml
NWR-330	Quayside Drive	86	0	0.0%	0	0.0%	10	1	0
NWR-331	2347 Trapp Rd.	73	13	17.8%	5	6.8%	1	1	0
NWR-332	15Th & Dublin St.	86	0	0.0%	0	0.0%	1	0	0
NWR-333	201 Philips St.	57	0	0.0%	0	0.0%	2	0	0
NWR-334	Chilliwack & Churchill	102	22	21.6%	18	17.6%	24	7	0
NWR-335	Cariboo And 13 Street	86	8	9.3%	3	3.5%	1	1	0
NWR-336	37 Agnes Street	90	7	7.8%	3	3.3%	2	0	0
NWR-337	4Th & Arbutus	101	3	3.0%	3	3.0%	1	1	0
NWR-338	142 Carroll Street	83	52	62.7%	19	22.9%	0	0	0
NWR-339	332 Alberta Street	98	16	16.3%	11	11.2%	0	0	2
NWR-340	7th Ave. btw Colborne & Park Cres.	94	6	6.4%	0	0.0%	0	0	0
NWR-341	8th St. north of Royal	84	5	6.0%	2	2.4%	0	0	0
NWR-342	Salter & Carter	59	0	0.0%	0	0.0%	2	1	1
NWR-343	250 Francis Way	70	0	0.0%	0	0.0%	4	1	0
NWR-344	210 Salter Street	46	0	0.0%	0	0.0%	1	0	0
	Sub-Total or City Average	**1215**	**132**	**10.9%**	**64**	**5.3%**	**49**	**13**	**3**



Water Quality Sampling Station Locations			
Name	Locations	Name	Locations
DmNWR 330	1000 Columbia St	DmNWR 341	800 BLK Queens Ave
DmNWR 331	2347 Trapp Rd	DmNWR 342	Salter St & Carter St
DmNWR 332	Fifteenth St & Dublin St	DmNWR 343	250 Francis Way
DmNWR 333	1351 Salter St	DmNWR 344	210 Salter St
DmNWR 334	Chilliwack St & Churchill Ave	GV-015	Nineteenth Ave & Stride St
DmNWR 335	Cariboo St & Thirteenth St	GV-028	Westburnco Reservoir
DmNWR 336	37 Agnes St	GV-041	Royal Ave & McBride Blvd
DmNWR 337	End of Arbutus St	GV-053	Queensborough
DmNWR 338	142 Carroll St	GV-126	Seymour Inlet (Chlorine Only)
DmNWR 339	332 Alberta St	GV-127	Westburnco -- First St & Eleventh Ave (Chlorine Only)
DmNWR 340	700 BLK Seventh Ave		

Average Free Chlorine Residual

- 0.000000 - 0.120000
- 0.120001 - 0.450000
- 0.450001 - 0.510000
- 0.510001 - 0.630000
- 0.630001 - 0.900000

NEW WESTMINSTER
Engineering Services

Figure 2:
2021 Average Free Chlorine Residual

Scale: Not To Scale
Printed: 01 Jun 2022

Map information provided herein is derived from sources with varying levels of accuracy. The City of New Westminster disclaims all responsibility for the accuracy or completeness of information contained herein.

Table 5 Disinfection Byproducts

Sample	Date Sampled	THM (ppb)						HAA (ppb)						
		Bromodichloromethane	Bromoform	Chlorodibromomethane	Chloroform	Total Trihalomethanes	**Total THM Quarterly Average (Guileline Limit 100 ppb)**	Dibromoacetic Acid	Dichloroacetic Acid	Monobromoacetic Acid	Monochloroacetic Acid	Trichloroacetic Acid	Total Haloacetic Acid	**Total HAA Quarterly Average (Guileline Limit 80 ppb)**
NWR-333	24-Feb-21	<1	<1	<1	21	21	**30**	<0.5	11	<1	2	9	23	**37**
NWR-333	2-Jun-21	<1	<1	<1	26	28	**28**	<0.5	14	<1	2	20	37	**35**
NWR-333	25-Aug-21	1	<1	<1	26	28	**27**	<0.5	18	<1	<2	22	41	**36**
NWR-333	22-Nov-21	<1	<1	<1	22	22	**25**	<0.5	13	<1	<2	22	35	**34**
NWR-335	25-Feb-21	<1	<1	<1	24	25	**32**	<0.5	6	<1	<2	7	14	**28**
NWR-335	1-Jun-21	<1	<1	<1	36	37	**33**	<0.5	14	<1	<2	30	46	**28**
NWR-335	22-Aug-21	1	<1	<1	34	36	**31**	<0.5	4	<1	<2	23	27	**26**
NWR-335	22-Nov-21	<1	<1	<1	29	29	**32**	<0.5	4	<1	<2	16	20	**27**
NWR-336	25-Feb-21	<1	<1	<1	18	19	**33**	<0.5	8	<1	5	5	19	**34**
NWR-336	1-Jun-21	<1	<1	<1	35	36	**33**	<0.5	13	<1	<2	26	41	**31**
NWR-336	22-Aug-21	1	<1	<1	33	35	**29**	<0.5	3	<1	<2	22	26	**27**
NWR-336	22-Nov-21	<1	<1	<1	28	29	**30**	<0.5	4	<1	<2	15	19	**26**




Figure 4: 2020 Bacteriological Compliance

Table 6 - Summary of Metal Analysis Results in (µg/L)

Metro Vancouver

Quality Control Division - Chemistry
1299 Derwent Way, Delta BC V3M 5V9
Phone: (604) 523-7173 / 7174 Fax: (604) 525-0932

				NWR-330	NWR-333	NWR-334
	Sample Description	Canadian	Guideline	Quayside Drive	201 Philips St.	Chilliwack & Churchill
	Sample Date			4/21/2021 12:54	4/20/2021 6:48	4/21/2021 8:10
	Sample Type			GRAB	GRAB	GRAB
Aluminum Total	**µg/L**	200	OG	89	80	10
Antimony Total	**µg/L**	6	MAC	<0.5	<0.5	<0.5
Arsenic Total	**µg/L**	10	MAC	<0.5	<0.5	<0.5
Barium Total	**µg/L**	1000	MAC	2.2	2.0	3.7
Boron Total	**µg/L**	5000	OG	<10	<10	<10
Cadmium Total	**µg/L**	5	MAC	<0.2	<0.2	<0.2
Calcium Total	**µg/L**	NG		937	1040	2540
Chromium Total	**µg/L**	50	MAC	<0.05	0.06	<0.05
Cobalt Total	**µg/L**	N/A		<0.5	<0.5	<0.5
Copper Total	**µg/L**	<2000	AO	2.4	3.6	1380
Iron Total	**µg/L**	<300	AO	79	67	15
Lead Total	**µg/L**	5 (ALARA)	MAC	<0.5	<0.5	<0.5
Magnesium Total	**µg/L**	NG		102	94	147
Manganese Total	**µg/L**	120	AO	8.8	4.5	2.3
Mercury Total	**µg/L**	1	MAC	<0.05	<0.05	<0.05
Molybdenum Total	**µg/L**	70000	MAC	<0.5	<0.5	<0.5
Nickel Total	**µg/L**	12 µg/kg body	LOAEL	<0.5	<0.5	0.6
Potassium Total	**µg/L**	NG		111	112	140
Selenium Total	**µg/L**	50	MAC	<0.5	<0.5	<0.5
Silver Total	**µg/L**	NG		<0.5	<0.5	<0.5
Sodium Total	**µg/L**	200,000	AO	6070	6090	3690
Zinc Total	**µg/L**	5000	AO	<3.0	<3.0	17.9

- AO – Aesthetic Objective
- MAC – Maximum Acceptable Concentration
- OG – Operational Guideline
- NG – Parameter Without Required Numerical Guideline
- LOAEL – Lowest Observed Adverse Effect level identified by the World Health Organization
- ALARA – As low as reasonably achievable

Table 6 – (cont.) Summary of Metal Analysis Results in (µg/L)

Metro Vancouver

Quality Control Division - Chemistry
1299 Derwent Way, Delta BC V3M 5V9
Phone: (604) 523-7173 / 7174 Fax: (604) 525-0932

				NWR-330	NWR-333	NWR-334
	Sample Description	Canadian	Guideline	Quayside Drive	201 Philips St.	Chilliwack & Churchill
	Sample Date			11/9/2021 9:55	11/10/2021 7:15	11/9/2021 7:30
	Sample Type			GRAB	GRAB	GRAB
Aluminum Total	**µg/L**	200	OG	110	92	67
Antimony Total	**µg/L**	6	MAC	<0.5	<0.5	<0.5
Arsenic Total	**µg/L**	10	MAC	<0.5	<0.5	<0.5
Barium Total	**µg/L**	1000	MAC	2.4	2.2	2.3
Boron Total	**µg/L**	5000	OG	<10	<10	<10
Cadmium Total	**µg/L**	5	MAC	<0.2	<0.2	<0.2
Calcium Total	**µg/L**	NG		894	907	5820
Chromium Total	**µg/L**	50	MAC	<0.05	0.05	<0.05
Cobalt Total	**µg/L**	N/A		<0.5	<0.5	<0.5
Copper Total	**µg/L**	<2000	AO	1.3	1.5	<0.5
Iron Total	**µg/L**	<300	AO	92	35	181
Lead Total	**µg/L**	5 (ALARA)	MAC	<0.5	<0.5	<0.5
Magnesium Total	**µg/L**	NG		95	91	166
Manganese Total	**µg/L**	120	AO	11.5	2.0	8.6
Mercury Total	**µg/L**	1	MAC	<0.05	<0.05	<0.05
Molybdenum Total	**µg/L**	70000	MAC	<0.5	<0.5	<0.5
Nickel Total	**µg/L**	12 µg/kg body	LOAEL	<0.5	<0.5	<0.5
Potassium Total	**µg/L**	NG		110	110	145
Selenium Total	**µg/L**	50	MAC	<0.5	<0.5	<0.5
Silver Total	**µg/L**	NG		<0.5	<0.5	<0.5
Sodium Total	**µg/L**	200,000	AO	10700	10700	4090
Zinc Total	**µg/L**	5000	AO	<3.0	<3.0	<3.0

- AO – Aesthetic Objective
- MAC – Maximum Acceptable Concentration
- OG – Operational Guideline
- NG – Parameter Without Required Numerical Guideline
- LOAEL – Lowest Observed Adverse Effect level identified by the World Health Organization

FUTURE SAMPLE ANALYSIS:

In May of 2003, through an Order in Council of the Provincial Government, the Drinking Water Protection Act became law. Under the Act, the Health Authority at their discretion, add to the analysis requirements in the Act.

The City population is estimated to have reached 82,590 which require 996 annual water sample tests. The City completes on average over 1000 tests at City sites to achieve the required frequency. 2016 was a historical anomaly with only 743 tests; the number of samples was increased in 2017 to well above the required minimum. With a growing population, the City has installed two additional test sites in 2021. One site is located in Port Royal and the second in Victoria Hill.

Both Port Royal and Victoria Hill developments were recently completed with added population density. As neither area had an existing test site within close proximity, two new test sites were added. Future potential sites might be located in Sapperton Industrial park and/or the future Sapperton Green Development. Both locations are on the perimeter of the distribution system and do not have a current test site.

The additional two sampling locations tested on a weekly basis provide an additional 104 water quality samples. This increases the City's count to a minimum of 780 per year. Some of the locations have to be sampled more frequently than once a week.

4.0 RESPONSE TO PROBLEMS AND IMPROVEMENTS PROPOSED

Under Section 13 of the Drinking Water Protection Regulation, a water purveyor is required to have an emergency response plan to be implemented in the event of an emergency affecting the waterworks system. The City has completed a plan which includes response procedures in the event of loss of system integrity. This includes response to issues such as line breaks, vandalism, loss of pressure and chemical or microbiological contamination. The 2009 Potable Water Emergency Plan was last updated in 2016. A new Drinking Water Emergency Plan was commissioned in 2019 and is currently under negotiations with Metro Vancouver.

The City undertakes an annual watermain replacement program targeted at water quality improvements and asset renewal. The program has historically replaced over 1% of the total length of watermain in the City per year and replaces unlined cast iron pipe with cement mortar lined ductile iron pipe.

The City also annually undertakes a watermain flushing program and flushes approximately 50% of the City watermains. Thus, every watermain in the City is flushed at least once every two to three years. The objective of the program is to remove any accumulated sediment and prevent bacterial regrowth.

Since 2000, the City flushes all dead end mains during periods of high water temperature to alleviate issues with water quality. Dead end mains are being looped on an opportunistic basis as resources become available. Two of the dead-end watermains with chronically low chlorine residuals due to low consumption have since had automatic flushing devices installed (2021): NWR 331 (2347 Trapp Rd) and NWR 338 (142 Carroll St.). Capital works will be prioritized through a combination of the ongoing Asset Management Program and the Master Water Servicing Study.

The Fraser Health Authority has requested that the City implement a city-wide cross-connection control program. The objective is to mitigate the potential of backflow from private property into the City water distribution system. Council received a report on August 26, 2019 and supported in principle the development of a cross connection control program including necessary resources and staffing. The City has since engaged an industry expert (BSI Online Consultants) to assist in a 3 year phased implementation of the Cross-Connection/Backflow Control Program across the Industrial, Commercial, Institutional (ICI) and Multi-Family sectors. Beginning in 2021, the City is developing an inventory of all testable backflow devices on multi-family and ICI properties, ensuring that they are brought into compliance and maintained/reported on an annual basis in order to protect the public drinking water system. The City has also completed an inventory and survey of all testable backflow devices on civic properties.

5.0 CONCLUSIONS

1. The combination of Metro Vancouver secondary disinfection stations, the City's annual watermain flushing program, the City's annual watermain replacement program and the City's program of flushing dead-end mains during periods of high water temperature have resulted in annual improvements in drinking water quality and compliance with the DWPR in 2021.

2. The City's water sample analysis results indicate overall compliance with the DWPR. The average chlorine residual objective of 0.2 ppm was met by all stations, except for one low flow, dead end location. All New Westminster sampling stations meet the average 0.1 ppm requirement. Only one sample showed the presence of E.coli which was later confirmed as a lab anomaly. Upon re-testing of the same station it returned negative and in compliance. No sample exceeded the legislated 10 total coliforms per 100 ml limit. No consecutive samples showed the presence of total coliforms.

3. The City met the Canadian Drinking Water (CDW) Guidelines and typical system indicators.

4. Poor water quality encountered in dead end mains during periods of high water temperatures has caused the City to continue with regular flushing of these lines through this period and the recent installation of automatic flushing devices improved the water quality.

APPENDIX A

EOCP
CERTIFICATES

This is to certify that:

Todd Betts

By examination has qualified as a

Water Distribution Operator
Level II

CHAIR, BOARD OF DIRECTORS

CHIEF EXECUTIVE OFFICER

Certification No. 1006
Valid until: 31 December 2021

A society incorporated under the Society Act, S.B.C. S-28724

This is to certify that:

Wesley Halliday

By examination has qualified as a

Water Distribution Operator
Level II

CHAIR, BOARD OF DIRECTORS

CHIEF EXECUTIVE OFFICER

Certification No. 7703
Valid until: 31 December 2021

A society incorporated under the Society Act, S.B.C. S-28724

This is to certify that:

John Callow

By examination has qualified as a

Water Distribution Operator
Level II

CHAIR, BOARD OF DIRECTORS

CHIEF EXECUTIVE OFFICER

Certification No. 4479
Valid until: 31 December 2021

A society incorporated under the Society Act, S.B.C. S-28724

This is to certify that:

Gregory Mitchell

By examination has qualified as a


Water Distribution Operator
Level II

CHAIR, BOARD OF DIRECTORS

CHIEF EXECUTIVE OFFICER

Certification No. 3373
Valid until: 31 December 2019

A society incorporated under the Society Act, S.B.C. S-28724



PROFILE RELATIONSHIPS LEARNING STATUS !

FIRST NATIONS MEMBER
No

REGIONAL ZONE
Lower Mainland

Upload Image

Operator

Certification

CERTIFICATION #
8422

CERTIFICATE #	TYPE	LEVEL	DATE GRANTED	EXPIRY DATE	RECIPROCITY	STATUS
138386	WD	I	02-10-2013	31-12-2020	No	✔ Accepted

Showing 1 to 1 of 1 entries (filtered from 14,032 total entries) | Show 15 entries

« Previous 1 Next »



Operator Details

Operator Information

Operator Name =	Frank DeFazio
Certification Number =	7568
Overall Status =	In Good Standing
Current Dues Status =	C-2016
Active Levels =	WD-II
Date First Certified =	2011-03-23

CEU Summary

CEU Requirements Met in all previous periods.

◉ Show Current CEU Period
○ Show All CEU Periods

Update

Period ---> **01-Jan-2016 - 31-Dec-2017**	** Current Period **
Total CEUs Accumulated in Period =	Accumulated = 0.0
Total CEUs from Approved Courses =	Accumulated = 0.0, Required = 2.4
Core CEUs for All Certificates =	Accumulated = 0.0, Required = 0.6
CEU Summary for Certificate =	WD - Core = 0.0, Related = 0.0

Total CEUs for All Course Submitted Since 2004/09/01= 26.60
Total CEUs for All Course Submitted Since First Registered= 26.60

Click the Button to Generate a pdf summary of the Courses that the EOCP has received and entered for you.

View/Print CEU Summary

Total CEU Sums shown are adjusted for Duplicate Courses taken in the same renewal period
See Summary for Details

Facilities:

1) Facility No: 878 Facility Name: City of New Westminster Water Distribution System Present Facility Details

---

The information presented here is based on the most current information from our database. While we try to keep our database up-to-date, our data is based on information provided by the registrants. If you feel that the information presented is in error, please contact us and provide details of your concern by clicking here. We will confirm any information provided to us.

For further information:

EOCP
#201 3833 Henning Drive
Burnaby, BC
V5C 6N5

Phone: (604) 874-4784 · Toll Free: 1-866-552-3627
Fax: (604) 874-4794 · E-mail: eocp@eocp.ca

HOME BACK

APPENDIX B

WATER QUALITY
LABORATORY TEST RESULTS

Sample Type	Sample Name	Description	Sampled Date	Total Coliform MPN/100mLs	Ecoli MPN/100mLs	Temperature °C	Total Coliform CFU/100mLs	Ecoli CFU/100mLs	HPC CFU/mL	Turbidity NTU
GRAB	NWR-330	Quayside Drive	2021-01-05 10:34	-	-	6.8	<1	<1	<2	0.43
GRAB	NWR-330	Quayside Drive	2021-01-15 09:33	-	-	7.3	<1	<1	<2	0.49
GRAB	NWR-330	Quayside Drive	2021-01-20 09:35	-	-	6.3	<1	<1	<2	0.45
GRAB	NWR-330	Quayside Drive	2021-01-27 08:38	-	-	5.5	<1	<1	<2	0.46
GRAB	NWR-330	Quayside Drive	2021-02-03 12:22	-	-	5.6	<1	<1	<2	1.9
GRAB	NWR-330	Quayside Drive	2021-02-10 10:10	-	-	5.3	<1	<1	<2	0.65
GRAB	NWR-330	Quayside Drive	2021-02-12 09:07	-	-	4.3	<1	<1	<2	0.45
GRAB	NWR-330	Quayside Drive	2021-02-14 09:09	-	-	4.7	<1	<1	<2	0.37
GRAB	NWR-330	Quayside Drive	2021-02-17 09:25	-	-	5.1	<1	<1	<2	0.32
GRAB	NWR-330	Quayside Drive	2021-02-19 11:41	-	-	6	<1	<1	2	0.31
GRAB	NWR-330	Quayside Drive	2021-02-21 11:16	-	-	5.3	<1	<1	<2	0.36
GRAB	NWR-330	Quayside Drive	2021-02-25 08:55	-	-	4.4	<1	<1	<2	0.49
GRAB	NWR-330	Quayside Drive	2021-02-28 12:03	-	-	5.4	<1	<1	<2	0.52
GRAB	NWR-330	Quayside Drive	2021-03-02 11:46	-	-	5.6	<1	<1	<2	0.64
GRAB	NWR-330	Quayside Drive	2021-03-05 09:40	-	-	5.8	<1	<1	<2	0.46
GRAB	NWR-330	Quayside Drive	2021-03-07 10:56	-	-	6.1	<1	<1	<2	0.38
GRAB	NWR-330	Quayside Drive	2021-03-09 08:48	-	-	5.9	<1	<1	<2	0.37
GRAB	NWR-330	Quayside Drive	2021-03-15 12:45	-	-	6.4	<1	<1	2	0.72
GRAB	NWR-330	Quayside Drive	2021-03-17 08:27	-	-	6.3	<1	<1	<2	0.92
GRAB	NWR-330	Quayside Drive	2021-03-19 12:32	-	-	5.8	<1	<1	<2	0.47
GRAB	NWR-330	Quayside Drive	2021-03-24 11:23	-	-	6.7	<1	<1	<2	0.29
GRAB	NWR-330	Quayside Drive	2021-03-29 08:46	-	-	6.8	<1	<1	<2	0.42
GRAB	NWR-330	Quayside Drive	2021-04-08 08:32	-	-	6.8	<1	<1	<2	0.4
GRAB	NWR-330	Quayside Drive	2021-04-12 08:17	-	-	5.2	<1	<1	<2	0.49
GRAB	NWR-330	Quayside Drive	2021-04-14 08:28	-	-	7.5	<1	<1	<2	0.35
GRAB	NWR-330	Quayside Drive	2021-04-15 07:52	-	-	7.5	<1	<1	<2	0.38
GRAB	NWR-330	Quayside Drive	2021-04-21 11:28	-	-	6.5	<1	<1	<2	0.3
GRAB	NWR-330	Quayside Drive	2021-04-22 09:07	-	-	8.4	<1	<1	<2	1.2
GRAB	NWR-330	Quayside Drive	2021-04-28 13:02	-	-	8.5	<1	<1	<2	0.33
GRAB	NWR-330	Quayside Drive	2021-05-03 08:32	-	-	8.7	<1	<1	<2	0.35

GRAB	NWR-330	Quayside Drive	2021-05-11 11:35	-	-	8.4	<1	<1	44	0.37
GRAB	NWR-330	Quayside Drive	2021-05-12 08:34	-	-	8.7	<1	<1	<2	0.35
GRAB	NWR-330	Quayside Drive	2021-05-14 12:39	-	-	9.3	<1	<1	<2	0.6
GRAB	NWR-330	Quayside Drive	2021-05-18 11:15	-	-	10.3	<1	<1	<2	0.4
GRAB	NWR-330	Quayside Drive	2021-05-26 10:27	-	-	10.5	<1	<1	<2	0.38
GRAB	NWR-330	Quayside Drive	2021-06-01 10:48	-	-	11.4	<1	<1	<2	2
GRAB	NWR-330	Quayside Drive	2021-06-02 12:39	-	-	12.7	<1	<1	<2	0.44
GRAB	NWR-330	Quayside Drive	2021-06-04 13:07	-	-	10.9	<1	<1	<2	0.49
GRAB	NWR-330	Quayside Drive	2021-06-08 09:13	-	-	10.5	<1	<1	<2	0.31
GRAB	NWR-330	Quayside Drive	2021-06-15 10:50	-	-	10.3	<1	<1	<2	0.3
GRAB	NWR-330	Quayside Drive	2021-06-17 12:24	-	-	12.4	<1	<1	<2	0.31
GRAB	NWR-330	Quayside Drive	2021-06-22 08:38	-	-	12	<1	<1	<2	0.86
GRAB	NWR-330	Quayside Drive	2021-07-02 09:09	-	-	12.5	<1	<1	<2	0.28
GRAB	NWR-330	Quayside Drive	2021-07-05 10:27	-	-	12.9	<1	<1	<2	0.34
GRAB	NWR-330	Quayside Drive	2021-07-08 08:32	-	-	11.9	<1	<1	<2	0.38
GRAB	NWR-330	Quayside Drive	2021-07-09 12:26	-	-	12.8	<1	<1	<2	0.35
GRAB	NWR-330	Quayside Drive	2021-07-15 11:06	-	-	14.5	<1	<1	<2	0.33
GRAB	NWR-330	Quayside Drive	2021-07-20 09:03	-	-	13.9	<1	<1	<2	0.32
GRAB	NWR-330	Quayside Drive	2021-07-26 12:09	-	-	15.3	<1	<1	<2	0.49
GRAB	NWR-330	Quayside Drive	2021-07-28 13:31	-	-	15.8	<1	<1	6	0.56
GRAB	NWR-330	Quayside Drive	2021-08-04 11:50	-	-	17	<1	<1	<2	0.88
GRAB	NWR-330	Quayside Drive	2021-08-12 11:22	-	-	18.5	<1	<1	<2	0.29
GRAB	NWR-330	Quayside Drive	2021-08-20 11:22	-	-	16.9	<1	<1	<2	0.4
GRAB	NWR-330	Quayside Drive	2021-08-22 12:58	-	-	16.9	<1	<1	<2	0.43
GRAB	NWR-330	Quayside Drive	2021-08-30 11:17	-	-	14.5	<1	<1	<2	0.49
GRAB	NWR-330	Quayside Drive	2021-08-31 08:20	-	-	14.4	<1	<1	<2	0.32
GRAB	NWR-330	Quayside Drive	2021-09-03 09:16	-	-	16.1	<1	<1	<2	0.38
GRAB	NWR-330	Quayside Drive	2021-09-08 10:41	-	-	16.7	<1	<1	<2	0.44
GRAB	NWR-330	Quayside Drive	2021-09-14 08:57	-	-	16.2	<1	<1	<2	0.7
GRAB	NWR-330	Quayside Drive	2021-09-17 12:57	-	-	15.1	<1	<1	<2	0.45
GRAB	NWR-330	Quayside Drive	2021-09-21 09:27	-	-	14.5	<1	<1	<2	0.81
GRAB	NWR-330	Quayside Drive	2021-09-24 09:37	-	-	12.8	<1	<1	<2	1.1

GRAB	NWR-330	Quayside Drive	2021-09-27 08:40	-	-	14.5	<1	<1	<2	0.56
GRAB	NWR-330	Quayside Drive	2021-10-05 08:46	-	-	13.1	<1	<1	2	0.57
GRAB	NWR-330	Quayside Drive	2021-10-08 12:03	-	-	13	<1	<1	<2	0.76
GRAB	NWR-330	Quayside Drive	2021-10-18 09:12	-	-	12.2	<1	<1	<2	0.6
GRAB	NWR-330	Quayside Drive	2021-10-19 08:58	-	-	11.1	<1	<1	<2	0.97
GRAB	NWR-330	Quayside Drive	2021-10-21 09:45	-	-	11.7	<1	<1	<2	0.54
GRAB	NWR-330	Quayside Drive	2021-10-25 10:41	-	-	11.5	<1	<1	<2	0.6
GRAB	NWR-330	Quayside Drive	2021-10-27 12:14	-	-	11.9	<1	<1	<2	0.6
GRAB	NWR-330	Quayside Drive	2021-10-31 13:41	-	-	10.5	<1	<1	<2	0.6
GRAB	NWR-330	Quayside Drive	2021-11-01 09:43	-	-	10.3	<1	<1	<2	0.49
GRAB	NWR-330	Quayside Drive	2021-11-04 08:49	-	-	13.7	<1	<1	<2	0.49
GRAB	NWR-330	Quayside Drive	2021-11-07 12:36	-	-	9.7	<1	<1	<2	0.45
GRAB	NWR-330	Quayside Drive	2021-11-09 10:00	-	-	8.7	<1	<1	<2	0.74
GRAB	NWR-330	Quayside Drive	2021-11-15 10:00	-	-	9.4	<1	<1	<2	0.42
GRAB	NWR-330	Quayside Drive	2021-11-17 09:08	-	-	8.4	<1	<1	<2	1.3
GRAB	NWR-330	Quayside Drive	2021-11-22 09:54	-	-	8.2	<1	<1	<2	1.2
GRAB	NWR-330	Quayside Drive	2021-11-29 09:37	-	-	8.4	<1	<1	<2	2.2
GRAB	NWR-330	Quayside Drive	2021-12-01 11:41	-	-	8.2	<1	<1	<2	1.2
GRAB	NWR-330	Quayside Drive	2021-12-07 09:52	-	-	9.3	<1	<1	2	1.1
GRAB	NWR-330	Quayside Drive	2021-12-14 10:26	-	-	6.5	<1	<1	<2	1.4
GRAB	NWR-330	Quayside Drive	2021-12-17 10:45	-	-	6.6	<1	<1	<2	0.82
GRAB	NWR-330	Quayside Drive	2021-12-22 09:34	-	-	5.8	<1	<1	NA	0.85
GRAB	NWR-330	Quayside Drive	2021-12-29 11:35	-	-	6.2	<1	<1	NA	0.63
GRAB	NWR-330	Quayside Drive	2021-12-31 11:02	-	-	4.4	<1	<1	NA	0.64
GRAB	NWR-331	2347 Trapp Rd.	2021-01-05 10:03	-	-	8.9	<1	<1	<2	0.22
GRAB	NWR-331	2347 Trapp Rd.	2021-01-15 10:11	-	-	8.8	<1	<1	<2	0.14
GRAB	NWR-331	2347 Trapp Rd.	2021-01-20 10:09	-	-	8.9	<1	<1	<2	0.29
GRAB	NWR-331	2347 Trapp Rd.	2021-01-27 08:20	-	-	7.6	<1	<1	<2	0.12
GRAB	NWR-331	2347 Trapp Rd.	2021-02-03 11:40	-	-	8.2	<1	<1	<2	0.66
GRAB	NWR-331	2347 Trapp Rd.	2021-02-10 09:43	-	-	7	<1	<1	<2	0.2
GRAB	NWR-331	2347 Trapp Rd.	2021-02-12 10:35	-	-	6.2	<1	<1	<2	0.12
GRAB	NWR-331	2347 Trapp Rd.	2021-02-14 08:35	-	-	6.3	<1	<1	<2	0.15

GRAB	NWR-331	2347 Trapp Rd.	2021-02-17 10:24	-	-	6.4	<1	<1	<2	0.22
GRAB	NWR-331	2347 Trapp Rd.	2021-02-21 10:46	-	-	6.9	<1	<1	<2	0.16
GRAB	NWR-331	2347 Trapp Rd.	2021-02-28 11:31	-	-	7.5	<1	<1	<2	0.33
GRAB	NWR-331	2347 Trapp Rd.	2021-03-02 10:18	-	-	7.6	<1	<1	<2	0.16
GRAB	NWR-331	2347 Trapp Rd.	2021-03-07 09:50	-	-	8.5	<1	<1	<2	0.12
GRAB	NWR-331	2347 Trapp Rd.	2021-03-09 09:26	-	-	7.8	<1	<1	<2	0.11
GRAB	NWR-331	2347 Trapp Rd.	2021-03-17 08:11	-	-	9	<1	<1	<2	0.29
GRAB	NWR-331	2347 Trapp Rd.	2021-03-24 10:49	-	-	9	<1	<1	<2	0.16
GRAB	NWR-331	2347 Trapp Rd.	2021-03-29 08:26	-	-	9.6	<1	<1	<2	0.19
GRAB	NWR-331	2347 Trapp Rd.	2021-04-08 08:12	-	-	10.9	<1	<1	<2	0.84
GRAB	NWR-331	2347 Trapp Rd.	2021-04-14 08:11	-	-	10.9	<1	<1	<2	0.16
GRAB	NWR-331	2347 Trapp Rd.	2021-04-15 08:27	-	-	8.8	<1	<1	2	0.15
GRAB	NWR-331	2347 Trapp Rd.	2021-04-21 11:02	-	-	13.1	<1	<1	<2	0.21
GRAB	NWR-331	2347 Trapp Rd.	2021-04-22 09:47	-	-	15	<1	<1	<2	0.2
GRAB	NWR-331	2347 Trapp Rd.	2021-04-28 12:47	-	-	14.1	<1	<1	<2	0.14
GRAB	NWR-331	2347 Trapp Rd.	2021-05-03 08:16	-	-	14.2	<1	<1	<2	4.9
GRAB	NWR-331	2347 Trapp Rd.	2021-05-11 11:10	-	-	14.5	<1	<1	<2	0.21
GRAB	NWR-331	2347 Trapp Rd.	2021-05-18 10:45	-	-	16.8	<1	<1	6	0.46
GRAB	NWR-331	2347 Trapp Rd.	2021-05-26 10:07	-	-	16	<1	<1	<2	0.15
GRAB	NWR-331	2347 Trapp Rd.	2021-06-01 10:14	-	-	16.9	<1	<1	4	0.56
GRAB	NWR-331	2347 Trapp Rd.	2021-06-08 08:56	-	-	17.8	<1	<1	<2	0.15
GRAB	NWR-331	2347 Trapp Rd.	2021-06-15 10:24	-	-	16.5	<1	<1	<2	0.16
GRAB	NWR-331	2347 Trapp Rd.	2021-06-16 12:47	-	-	16.9	<1	<1	<2	0.11
GRAB	NWR-331	2347 Trapp Rd.	2021-06-17 12:53	-	-	17.8	<1	<1	<2	0.12
GRAB	NWR-331	2347 Trapp Rd.	2021-06-22 08:18	-	-	19.6	<1	<1	<2	0.14
GRAB	NWR-331	2347 Trapp Rd.	2021-07-02 09:36	-	-	19.8	<1	<1	<2	0.16
GRAB	NWR-331	2347 Trapp Rd.	2021-07-05 09:58	-	-	21.2	<1	<1	<2	0.24
GRAB	NWR-331	2347 Trapp Rd.	2021-07-08 09:00	-	-	21.9	<1	<1	32	0.22
GRAB	NWR-331	2347 Trapp Rd.	2021-07-15 10:47	-	-	22.7	<1	<1	22	0.28
GRAB	NWR-331	2347 Trapp Rd.	2021-07-16 09:24	-	-	21.7	<1	<1	30	0.24
GRAB	NWR-331	2347 Trapp Rd.	2021-07-20 08:44	-	-	23	<1	<1	36	0.27
GRAB	NWR-331	2347 Trapp Rd.	2021-07-26 11:53	-	-	21.3	<1	<1	2	0.3

GRAB	NWR-331	2347 Trapp Rd.	2021-07-28 13:12	-	-	22.5	<1	<1	26	0.3
GRAB	NWR-331	2347 Trapp Rd.	2021-08-04 10:28	-	-	22.8	<1	<1	24	0.29
GRAB	NWR-331	2347 Trapp Rd.	2021-08-12 10:42	-	-	23.5	<1	<1	58	0.29
GRAB	NWR-331	2347 Trapp Rd.	2021-08-20 11:04	-	-	23.6	<1	<1	150	0.29
GRAB	NWR-331	2347 Trapp Rd.	2021-08-22 12:28	-	-	23	<1	<1	180	0.26
GRAB	NWR-331	2347 Trapp Rd.	2021-08-30 10:34	-	-	17.7	<1	<1	72	0.29
GRAB	NWR-331	2347 Trapp Rd.	2021-08-31 09:08	-	-	22.8	<1	<1	2	0.2
GRAB	NWR-331	2347 Trapp Rd.	2021-09-08 10:23	-	-	20	<1	<1	2	0.2
GRAB	NWR-331	2347 Trapp Rd.	2021-09-14 08:40	-	-	20	<1	<1	<2	0.14
GRAB	NWR-331	2347 Trapp Rd.	2021-09-21 10:12	-	-	16.5	<1	<1	4	0.13
GRAB	NWR-331	2347 Trapp Rd.	2021-09-24 10:23	-	-	17.4	<1	<1	<2	0.14
GRAB	NWR-331	2347 Trapp Rd.	2021-09-27 08:21	-	-	18	<1	<1	<2	0.14
GRAB	NWR-331	2347 Trapp Rd.	2021-10-05 08:28	-	-	16.5	<1	<1	6	0.14
GRAB	NWR-331	2347 Trapp Rd.	2021-10-18 08:26	-	-	16.5	<1	<1	<2	0.12
GRAB	NWR-331	2347 Trapp Rd.	2021-10-19 08:39	-	-	14.1	<1	<1	4	0.12
GRAB	NWR-331	2347 Trapp Rd.	2021-10-21 09:13	-	-	14	<1	<1	<2	0.18
GRAB	NWR-331	2347 Trapp Rd.	2021-10-24 12:41	-	-	14.5	<1	<1	4	0.14
GRAB	NWR-331	2347 Trapp Rd.	2021-10-25 09:16	-	-	13.8	<1	<1	<2	0.13
GRAB	NWR-331	2347 Trapp Rd.	2021-10-27 11:53	-	-	14.1	<1	<1	2	0.19
GRAB	NWR-331	2347 Trapp Rd.	2021-10-31 13:13	-	-	13.6	<1	<1	<2	0.12
GRAB	NWR-331	2347 Trapp Rd.	2021-11-01 09:16	-	-	12.6	<1	<1	2	0.17
GRAB	NWR-331	2347 Trapp Rd.	2021-11-04 10:08	-	-	16.2	<1	<1	4	0.11
GRAB	NWR-331	2347 Trapp Rd.	2021-11-05 09:36	-	-	12.4	<1	<1	<2	0.11
GRAB	NWR-331	2347 Trapp Rd.	2021-11-07 12:11	-	-	12.7	1	<1	2	0.09
GRAB	NWR-331	2347 Trapp Rd.	2021-11-15 09:26	-	-	11.6	<1	<1	<2	0.11
GRAB	NWR-331	2347 Trapp Rd.	2021-11-17 08:42	-	-	10.7	<1	<1	<2	0.13
GRAB	NWR-331	2347 Trapp Rd.	2021-11-22 09:17	-	-	10	<1	<1	<2	0.14
GRAB	NWR-331	2347 Trapp Rd.	2021-11-29 09:09	-	-	10.4	<1	<1	2	0.11
GRAB	NWR-331	2347 Trapp Rd.	2021-12-01 10:41	-	-	10.8	<1	<1	<2	0.1
GRAB	NWR-331	2347 Trapp Rd.	2021-12-05 13:21	-	-	10.6	<1	<1	<2	0.1
GRAB	NWR-331	2347 Trapp Rd.	2021-12-07 09:22	-	-	9.1	<1	<1	<2	0.1
GRAB	NWR-331	2347 Trapp Rd.	2021-12-14 09:50	-	-	8.7	<1	<1	<2	0.11

GRAB	NWR-331	2347 Trapp Rd.	2021-12-22 09:00	-	-	7.3	<1	<1	NA	0.13
GRAB	NWR-332	15th & Dublin St.	2021-01-05 09:31	-	-	5.6	<1	<1	<2	0.15
GRAB	NWR-332	15th & Dublin St.	2021-01-15 09:59	-	-	6.8	<1	<1	<2	0.28
GRAB	NWR-332	15th & Dublin St.	2021-01-20 09:57	-	-	7.1	<1	<1	<2	0.27
GRAB	NWR-332	15th & Dublin St.	2021-01-27 08:00	-	-	5	<1	<1	<2	0.31
GRAB	NWR-332	15th & Dublin St.	2021-02-03 11:06	-	-	4.7	<1	<1	<2	0.12
GRAB	NWR-332	15th & Dublin St.	2021-02-06 12:08	-	-	4.4	<1	<1	<2	0.16
GRAB	NWR-332	15th & Dublin St.	2021-02-10 08:51	-	-	4	<1	<1	<2	0.24
GRAB	NWR-332	15th & Dublin St.	2021-02-12 09:25	-	-	4.7	<1	<1	<2	0.11
GRAB	NWR-332	15th & Dublin St.	2021-02-14 08:17	-	-	4.3	<1	<1	<2	0.18
GRAB	NWR-332	15th & Dublin St.	2021-02-17 10:09	-	-	4.6	<1	<1	<2	0.24
GRAB	NWR-332	15th & Dublin St.	2021-02-19 12:21	-	-	4.8	<1	<1	<2	0.12
GRAB	NWR-332	15th & Dublin St.	2021-02-21 10:11	-	-	3.7	<1	<1	<2	0.18
GRAB	NWR-332	15th & Dublin St.	2021-02-25 09:17	-	-	5	<1	<1	<2	0.13
GRAB	NWR-332	15th & Dublin St.	2021-02-28 09:32	-	-	3.9	<1	<1	<2	0.2
GRAB	NWR-332	15th & Dublin St.	2021-03-02 09:36	-	-	4.4	<1	<1	<2	0.56
GRAB	NWR-332	15th & Dublin St.	2021-03-05 10:14	-	-	5.3	<1	<1	<2	0.3
GRAB	NWR-332	15th & Dublin St.	2021-03-07 09:20	-	-	4.7	<1	<1	<2	0.13
GRAB	NWR-332	15th & Dublin St.	2021-03-09 09:15	-	-	6.2	<1	<1	<2	0.5
GRAB	NWR-332	15th & Dublin St.	2021-03-15 13:13	-	-	6.9	<1	<1	<2	0.37
GRAB	NWR-332	15th & Dublin St.	2021-03-17 07:50	-	-	5.5	<1	<1	<2	0.3
GRAB	NWR-332	15th & Dublin St.	2021-03-19 12:56	-	-	5.9	<1	<1	<2	0.42
GRAB	NWR-332	15th & Dublin St.	2021-03-21 13:00	-	-	5	<1	<1	<2	0.08
GRAB	NWR-332	15th & Dublin St.	2021-03-24 09:58	-	-	5.2	<1	<1	<2	0.11
GRAB	NWR-332	15th & Dublin St.	2021-03-29 08:05	-	-	5.5	<1	<1	<2	0.12
GRAB	NWR-332	15th & Dublin St.	2021-04-08 07:53	-	-	6.1	<1	<1	<2	0.14
GRAB	NWR-332	15th & Dublin St.	2021-04-14 07:51	-	-	6.6	<1	<1	<2	0.15
GRAB	NWR-332	15th & Dublin St.	2021-04-15 08:15	-	-	7.6	<1	<1	<2	0.19
GRAB	NWR-332	15th & Dublin St.	2021-04-21 10:37	-	-	6.3	<1	<1	<2	0.13
GRAB	NWR-332	15th & Dublin St.	2021-04-22 09:34	-	-	9.9	<1	<1	<2	0.23
GRAB	NWR-332	15th & Dublin St.	2021-04-28 12:26	-	-	8.2	<1	<1	<2	0.17
GRAB	NWR-332	15th & Dublin St.	2021-05-03 07:53	-	-	8	<1	<1	<2	0.17

GRAB	NWR-332	15th & Dublin St.	2021-05-11 10:42	-	-	7.8	<1	<1	<2	0.24
GRAB	NWR-332	15th & Dublin St.	2021-05-12 09:08	-	-	9	<1	<1	<2	0.61
GRAB	NWR-332	15th & Dublin St.	2021-05-14 13:06	-	-	12.1	<1	<1	<2	0.28
GRAB	NWR-332	15th & Dublin St.	2021-05-18 10:01	-	-	11.7	<1	<1	<2	0.53
GRAB	NWR-332	15th & Dublin St.	2021-05-20 12:53	-	-	9.1	<1	<1	<2	0.25
GRAB	NWR-332	15th & Dublin St.	2021-05-26 09:35	-	-	9.8	<1	<1	<2	1.1
GRAB	NWR-332	15th & Dublin St.	2021-06-01 09:29	-	-	11.9	<1	<1	<2	0.4
GRAB	NWR-332	15th & Dublin St.	2021-06-08 08:35	-	-	10.3	<1	<1	<2	0.13
GRAB	NWR-332	15th & Dublin St.	2021-06-15 10:03	-	-	10.8	<1	<1	<2	0.26
GRAB	NWR-332	15th & Dublin St.	2021-06-16 12:58	-	-	11	<1	<1	<2	0.13
GRAB	NWR-332	15th & Dublin St.	2021-06-17 12:43	-	-	12.4	<1	<1	<2	0.36
GRAB	NWR-332	15th & Dublin St.	2021-06-22 08:00	-	-	11	<1	<1	<2	0.21
GRAB	NWR-332	15th & Dublin St.	2021-07-02 09:27	-	-	12.9	<1	<1	<2	0.1
GRAB	NWR-332	15th & Dublin St.	2021-07-05 09:37	-	-	12.9	<1	<1	<2	0.22
GRAB	NWR-332	15th & Dublin St.	2021-07-08 08:49	-	-	13	<1	<1	<2	0.31
GRAB	NWR-332	15th & Dublin St.	2021-07-09 11:33	-	-	12.6	<1	<1	<2	0.18
GRAB	NWR-332	15th & Dublin St.	2021-07-15 10:21	-	-	13	<1	<1	<2	0.36
GRAB	NWR-332	15th & Dublin St.	2021-07-20 08:23	-	-	13.3	<1	<1	2	0.23
GRAB	NWR-332	15th & Dublin St.	2021-07-26 11:32	-	-	18.2	<1	<1	<2	0.29
GRAB	NWR-332	15th & Dublin St.	2021-07-28 12:12	-	-	14.5	<1	<1	<2	0.32
GRAB	NWR-332	15th & Dublin St.	2021-08-04 09:58	-	-	16.3	<1	<1	<2	0.58
GRAB	NWR-332	15th & Dublin St.	2021-08-12 10:22	-	-	16.5	<1	<1	<2	0.3
GRAB	NWR-332	15th & Dublin St.	2021-08-20 10:51	-	-	16.5	<1	<1	<2	0.34
GRAB	NWR-332	15th & Dublin St.	2021-08-22 11:03	-	-	16.2	<1	<1	<2	0.53
GRAB	NWR-332	15th & Dublin St.	2021-08-30 10:07	-	-	14.2	<1	<1	<2	0.79
GRAB	NWR-332	15th & Dublin St.	2021-08-31 08:54	-	-	14.1	<1	<1	<2	0.29
GRAB	NWR-332	15th & Dublin St.	2021-09-03 09:56	-	-	14.6	<1	<1	<2	0.2
GRAB	NWR-332	15th & Dublin St.	2021-09-08 10:03	-	-	16.3	<1	<1	<2	0.38
GRAB	NWR-332	15th & Dublin St.	2021-09-14 08:21	-	-	16.3	<1	<1	<2	0.27
GRAB	NWR-332	15th & Dublin St.	2021-09-21 09:50	-	-	15.7	<1	<1	<2	0.16
GRAB	NWR-332	15th & Dublin St.	2021-09-24 10:09	-	-	15.8	<1	<1	<2	0.12
GRAB	NWR-332	15th & Dublin St.	2021-09-27 08:01	-	-	14.5	<1	<1	<2	0.11

GRAB	NWR-332	15th & Dublin St.	2021-10-05 08:09	-	-	12.3	<1	<1	<2	0.15
GRAB	NWR-332	15th & Dublin St.	2021-10-07 13:19	-	-	13.1	<1	<1	<2	0.24
GRAB	NWR-332	15th & Dublin St.	2021-10-18 08:37	-	-	10.4	<1	<1	<2	0.18
GRAB	NWR-332	15th & Dublin St.	2021-10-19 08:08	-	-	13.1	<1	<1	<2	0.12
GRAB	NWR-332	15th & Dublin St.	2021-10-21 08:46	-	-	10.2	<1	<1	<2	0.17
GRAB	NWR-332	15th & Dublin St.	2021-10-24 12:30	-	-	9.8	<1	<1	<2	0.14
GRAB	NWR-332	15th & Dublin St.	2021-10-25 08:49	-	-	9.9	<1	<1	<2	0.16
GRAB	NWR-332	15th & Dublin St.	2021-10-27 11:39	-	-	12.2	<1	<1	<2	0.18
GRAB	NWR-332	15th & Dublin St.	2021-10-31 12:58	-	-	9.1	<1	<1	<2	0.12
GRAB	NWR-332	15th & Dublin St.	2021-11-01 08:46	-	-	8.8	<1	<1	<2	0.21
GRAB	NWR-332	15th & Dublin St.	2021-11-04 09:36	-	-	13.6	<1	<1	<2	0.11
GRAB	NWR-332	15th & Dublin St.	2021-11-05 09:25	-	-	10.8	<1	<1	<2	0.13
GRAB	NWR-332	15th & Dublin St.	2021-11-09 08:56	-	-	10.5	<1	<1	<2	0.21
GRAB	NWR-332	15th & Dublin St.	2021-11-15 08:56	-	-	8.5	<1	<1	2	0.1
GRAB	NWR-332	15th & Dublin St.	2021-11-17 08:29	-	-	7	<1	<1	<2	0.14
GRAB	NWR-332	15th & Dublin St.	2021-11-22 08:51	-	-	6.8	<1	<1	<2	0.12
GRAB	NWR-332	15th & Dublin St.	2021-11-29 08:42	-	-	6.9	<1	<1	<2	0.13
GRAB	NWR-332	15th & Dublin St.	2021-12-01 10:54	-	-	7	<1	<1	<2	0.25
GRAB	NWR-332	15th & Dublin St.	2021-12-05 13:07	-	-	6.8	<1	<1	<2	0.1
GRAB	NWR-332	15th & Dublin St.	2021-12-07 08:53	-	-	6.3	<1	<1	<2	0.14
GRAB	NWR-332	15th & Dublin St.	2021-12-14 09:29	-	-	5.9	<1	<1	<2	0.1
GRAB	NWR-332	15th & Dublin St.	2021-12-22 08:35	-	-	5.9	<1	<1	NA	0.56
GRAB	NWR-332	15th & Dublin St.	2021-12-29 11:58	-	-	4.5	<1	<1	NA	0.23
GRAB	NWR-333	201 Philips St.	2021-01-06 07:26	-	-	6.5	<1	<1	<2	0.4
GRAB	NWR-333	201 Philips St.	2021-01-13 07:30	-	-	7.4	<1	<1	<2	0.39
GRAB	NWR-333	201 Philips St.	2021-01-21 07:58	-	-	6.3	<1	<1	<2	0.35
GRAB	NWR-333	201 Philips St.	2021-01-27 07:44	-	-	5.1	<1	<1	<2	0.34
GRAB	NWR-333	201 Philips St.	2021-02-03 07:20	-	-	5.8	<1	<1	<2	0.32
GRAB	NWR-333	201 Philips St.	2021-02-10 07:26	-	-	5.6	<1	<1	4	0.37
GRAB	NWR-333	201 Philips St.	2021-02-12 09:47	-	-	4.6	<1	<1	<2	0.33
GRAB	NWR-333	201 Philips St.	2021-02-18 07:21	-	-	5	<1	<1	<2	0.29
GRAB	NWR-333	201 Philips St.	2021-02-19 12:53	-	-	5.8	<1	<1	<2	0.29

GRAB	NWR-333	201 Philips St.	2021-02-24 07:29	-	-	5.6	<1	<1	<2	0.48
GRAB	NWR-333	201 Philips St.	2021-03-04 07:31	-	-	6	<1	<1	<2	0.37
GRAB	NWR-333	201 Philips St.	2021-03-05 11:11	-	-	6.6	<1	<1	<2	0.82
GRAB	NWR-333	201 Philips St.	2021-03-09 07:21	-	-	6.4	<1	<1	<2	0.33
GRAB	NWR-333	201 Philips St.	2021-03-16 07:22	-	-	6.9	<1	<1	<2	0.31
GRAB	NWR-333	201 Philips St.	2021-03-23 07:26	-	-	6.8	<1	<1	<2	0.34
GRAB	NWR-333	201 Philips St.	2021-03-30 07:25	-	-	7.3	<1	<1	<2	0.34
GRAB	NWR-333	201 Philips St.	2021-04-09 07:23	-	-	7.4	<1	<1	<2	0.35
GRAB	NWR-333	201 Philips St.	2021-04-15 07:31	-	-	8.5	<1	<1	<2	0.38
GRAB	NWR-333	201 Philips St.	2021-04-20 06:48	-	-	10.1	<1	<1	<2	0.26
GRAB	NWR-333	201 Philips St.	2021-04-29 07:27	-	-	9.6	<1	<1	<2	0.27
GRAB	NWR-333	201 Philips St.	2021-05-06 07:25	-	-	10.1	<1	<1	<2	0.32
GRAB	NWR-333	201 Philips St.	2021-05-13 07:20	-	-	10.6	<1	<1	<2	0.24
GRAB	NWR-333	201 Philips St.	2021-05-19 07:28	-	-	11.1	<1	<1	<2	0.25
GRAB	NWR-333	201 Philips St.	2021-05-27 07:02	-	-	11.3	<1	<1	<2	0.32
GRAB	NWR-333	201 Philips St.	2021-06-02 07:31	-	-	11.3	<1	<1	<2	0.27
GRAB	NWR-333	201 Philips St.	2021-06-09 07:20	-	-	11.9	<1	<1	<2	0.22
GRAB	NWR-333	201 Philips St.	2021-06-16 07:32	-	-	12.7	<1	<1	<2	0.2
GRAB	NWR-333	201 Philips St.	2021-06-24 07:12	-	-	13.6	<1	<1	<2	0.24
GRAB	NWR-333	201 Philips St.	2021-06-29 07:12	-	-	14.1	<1	<1	<2	0.23
GRAB	NWR-333	201 Philips St.	2021-07-07 07:17	-	-	14.1	<1	<1	<2	0.24
GRAB	NWR-333	201 Philips St.	2021-07-12 07:10	-	-	14.8	<1	<1	<2	0.25
GRAB	NWR-333	201 Philips St.	2021-07-16 08:53	-	-	14.1	<1	<1	<2	0.36
GRAB	NWR-333	201 Philips St.	2021-07-22 07:13	-	-	15.1	<1	<1	<2	0.32
GRAB	NWR-333	201 Philips St.	2021-07-27 07:26	-	-	16.5	<1	<1	<2	0.34
GRAB	NWR-333	201 Philips St.	2021-08-03 07:16	-	-	17	<1	<1	<2	0.27
GRAB	NWR-333	201 Philips St.	2021-08-11 07:13	-	-	17	<1	<1	<2	0.27
GRAB	NWR-333	201 Philips St.	2021-08-18 07:17	-	-	17.4	<1	<1	<2	0.25
GRAB	NWR-333	201 Philips St.	2021-08-25 07:29	-	-	16.8	<1	<1	4	0.52
GRAB	NWR-333	201 Philips St.	2021-08-31 09:31	-	-	15	<1	<1	<2	0.26
GRAB	NWR-333	201 Philips St.	2021-09-01 07:26	-	-	15.5	<1	<1	<2	0.22
GRAB	NWR-333	201 Philips St.	2021-09-10 08:08	-	-	18.4	<1	<1	<2	0.44

GRAB	NWR-333	201 Philips St.	2021-09-15 07:20	-	-	17.5	<1	<1	<2	0.26
GRAB	NWR-333	201 Philips St.	2021-09-21 07:19	-	-	15.9	<1	<1	<2	0.49
GRAB	NWR-333	201 Philips St.	2021-09-24 10:55	-	-	14.9	<1	<1	<2	0.5
GRAB	NWR-333	201 Philips St.	2021-09-29 07:15	-	-	14.8	<1	<1	<2	0.37
GRAB	NWR-333	201 Philips St.	2021-10-05 06:59	-	-	14	<1	<1	2	0.6
GRAB	NWR-333	201 Philips St.	2021-10-15 07:21	-	-	12.8	<1	<1	2	0.48
GRAB	NWR-333	201 Philips St.	2021-10-28 07:12	-	-	10.9	<1	<1	<2	0.43
GRAB	NWR-333	201 Philips St.	2021-11-02 07:15	-	-	10.5	<1	<1	<2	0.46
GRAB	NWR-333	201 Philips St.	2021-11-04 10:25	-	-	14	<1	<1	<2	0.41
GRAB	NWR-333	201 Philips St.	2021-11-10 07:15	-	-	9.4	<1	<1	<2	0.41
GRAB	NWR-333	201 Philips St.	2021-11-18 07:10	-	-	8.7	<1	<1	<2	1.4
GRAB	NWR-333	201 Philips St.	2021-11-22 07:23	-	-	8.4	<1	<1	<2	0.95
GRAB	NWR-333	201 Philips St.	2021-12-02 07:13	-	-	8.3	<1	<1	<2	1.1
GRAB	NWR-333	201 Philips St.	2021-12-09 07:40	-	-	8.8	<1	<1	<2	0.86
GRAB	NWR-333	201 Philips St.	2021-12-15 07:14	-	-	6.6	<1	<1	<2	0.51
GRAB	NWR-333	201 Philips St.	2021-12-23 07:20	-	-	5.5	<1	<1	NA	0.53
GRAB	NWR-334	Chilliwack & Churchill	2021-01-05 08:31	-	-	7.2	<1	<1	<2	0.68
GRAB	NWR-334	Chilliwack & Churchill	2021-01-15 07:44	-	-	5.8	<1	<1	2	2.2
GRAB	NWR-334	Chilliwack & Churchill	2021-01-20 07:20	-	-	6.4	<1	<1	<2	0.91
GRAB	NWR-334	Chilliwack & Churchill	2021-01-22 07:42	-	-	4.9	<1	<1	<2	0.18
GRAB	NWR-334	Chilliwack & Churchill	2021-01-27 07:13	-	-	5.2	<1	<1	<2	0.63
GRAB	NWR-334	Chilliwack & Churchill	2021-02-03 08:36	-	-	5.3	<1	<1	<2	0.16
GRAB	NWR-334	Chilliwack & Churchill	2021-02-04 11:04	-	-	5.6	<1	<1	<2	1.8
GRAB	NWR-334	Chilliwack & Churchill	2021-02-06 06:29	-	-	5.5	<1	<1	<2	0.34
GRAB	NWR-334	Chilliwack & Churchill	2021-02-10 07:52	-	-	5.1	<1	<1	<2	0.28
GRAB	NWR-334	Chilliwack & Churchill	2021-02-12 08:04	-	-	4.4	<1	<1	<2	0.3
GRAB	NWR-334	Chilliwack & Churchill	2021-02-14 07:26	-	-	5	<1	<1	<2	0.3
GRAB	NWR-334	Chilliwack & Churchill	2021-02-17 07:20	-	-	4.9	<1	<1	2	1.5
GRAB	NWR-334	Chilliwack & Churchill	2021-02-19 10:17	-	-	4.9	<1	<1	<2	1.3
GRAB	NWR-334	Chilliwack & Churchill	2021-02-21 08:52	-	-	5	<1	<1	<2	0.33
GRAB	NWR-334	Chilliwack & Churchill	2021-02-25 07:17	-	-	4.4	<1	<1	<2	0.53
GRAB	NWR-334	Chilliwack & Churchill	2021-02-28 07:26	-	-	5.1	<1	<1	<2	0.31

GRAB	NWR-334	Chilliwack & Churchill	2021-03-02 08:03	-	-	5.1	<1	<1	<2	0.72
GRAB	NWR-334	Chilliwack & Churchill	2021-03-05 08:02	-	-	5.3	<1	<1	<2	1.2
GRAB	NWR-334	Chilliwack & Churchill	2021-03-07 07:47	-	-	5.6	<1	<1	<2	0.34
GRAB	NWR-334	Chilliwack & Churchill	2021-03-09 06:59	-	-	5.8	<1	<1	<2	2.9
GRAB	NWR-334	Chilliwack & Churchill	2021-03-17 07:08	-	-	6	<1	<1	<2	0.91
GRAB	NWR-334	Chilliwack & Churchill	2021-03-19 10:37	-	-	6	<1	<1	<2	0.89
GRAB	NWR-334	Chilliwack & Churchill	2021-03-21 11:42	-	-	6	<1	<1	<2	0.49
GRAB	NWR-334	Chilliwack & Churchill	2021-03-24 08:48	-	-	6.3	<1	<1	<2	0.49
GRAB	NWR-334	Chilliwack & Churchill	2021-03-29 07:17	-	-	6.3	<1	<1	<2	1.1
GRAB	NWR-334	Chilliwack & Churchill	2021-04-08 07:10	-	-	6.6	<1	<1	<2	2
GRAB	NWR-334	Chilliwack & Churchill	2021-04-12 07:09	-	-	4.8	<1	<1	<2	1.6
GRAB	NWR-334	Chilliwack & Churchill	2021-04-14 07:13	-	-	6.8	<1	<1	<2	1.6
GRAB	NWR-334	Chilliwack & Churchill	2021-04-15 07:04	-	-	7	<1	<1	<2	1.1
GRAB	NWR-334	Chilliwack & Churchill	2021-04-21 08:10	-	-	6.7	<1	<1	<2	0.37
GRAB	NWR-334	Chilliwack & Churchill	2021-04-22 06:26	-	-	7.1	<1	<1	<2	2.7
GRAB	NWR-334	Chilliwack & Churchill	2021-04-27 12:26	-	-	8.4	<1	<1	<2	0.93
GRAB	NWR-334	Chilliwack & Churchill	2021-04-28 11:28	-	-	8.4	<1	<1	<2	2.1
GRAB	NWR-334	Chilliwack & Churchill	2021-04-29 07:14	-	-	8.4	<1	<1	<2	1.5
GRAB	NWR-334	Chilliwack & Churchill	2021-05-03 07:10	-	-	7.8	<1	<1	<2	4.3
GRAB	NWR-334	Chilliwack & Churchill	2021-05-11 08:59	-	-	8.7	<1	<1	<2	0.32
GRAB	NWR-334	Chilliwack & Churchill	2021-05-12 07:13	-	-	9.3	<1	<1	<2	1.5
GRAB	NWR-334	Chilliwack & Churchill	2021-05-14 10:44	-	-	10	<1	<1	<2	0.32
GRAB	NWR-334	Chilliwack & Churchill	2021-05-18 08:20	-	-	8	<1	<1	<2	0.41
GRAB	NWR-334	Chilliwack & Churchill	2021-05-20 07:07	-	-	8	<1	<1	<2	0.34
GRAB	NWR-334	Chilliwack & Churchill	2021-05-21 08:28	-	-	10	<1	<1	<2	0.5
GRAB	NWR-334	Chilliwack & Churchill	2021-05-26 08:45	-	-	9	<1	<1	<2	0.48
GRAB	NWR-334	Chilliwack & Churchill	2021-06-01 14:17	-	-	9.7	<1	<1	<2	0.6
GRAB	NWR-334	Chilliwack & Churchill	2021-06-04 12:17	-	-	12.1	<1	<1	<2	0.6
GRAB	NWR-334	Chilliwack & Churchill	2021-06-08 07:40	-	-	10.4	<1	<1	<2	4.3
GRAB	NWR-334	Chilliwack & Churchill	2021-06-15 07:29	-	-	10.5	<1	<1	<2	0.36
GRAB	NWR-334	Chilliwack & Churchill	2021-06-17 10:58	-	-	12	<1	<1	<2	0.29
GRAB	NWR-334	Chilliwack & Churchill	2021-06-18 07:56	-	-	10.6	<1	<1	<2	0.2

GRAB	NWR-334	Chilliwack & Churchill	2021-06-22 07:18	-	-	11.9	<1	<1	2	2.2
GRAB	NWR-334	Chilliwack & Churchill	2021-07-02 07:24	-	-	11.8	<1	<1	<2	0.3
GRAB	NWR-334	Chilliwack & Churchill	2021-07-05 08:19	-	-	11.1	<1	<1	<2	0.27
GRAB	NWR-334	Chilliwack & Churchill	2021-07-08 07:15	-	-	11.2	<1	<1	<2	0.79
GRAB	NWR-334	Chilliwack & Churchill	2021-07-09 13:36	-	-	12.2	<1	<1	<2	0.27
GRAB	NWR-334	Chilliwack & Churchill	2021-07-15 09:03	-	-	14	<1	<1	<2	0.36
GRAB	NWR-334	Chilliwack & Churchill	2021-07-16 07:23	-	-	12.3	<1	<1	<2	1.1
GRAB	NWR-334	Chilliwack & Churchill	2021-07-20 07:26	-	-	13.4	<1	<1	6	0.36
GRAB	NWR-334	Chilliwack & Churchill	2021-07-26 09:29	-	-	13.7	<1	<1	<2	0.47
GRAB	NWR-334	Chilliwack & Churchill	2021-07-28 11:02	-	-	16	<1	<1	<2	0.47
GRAB	NWR-334	Chilliwack & Churchill	2021-08-04 08:35	-	-	16.5	<1	<1	<2	0.61
GRAB	NWR-334	Chilliwack & Churchill	2021-08-05 10:37	-	-	16	<1	<1	4	0.3
GRAB	NWR-334	Chilliwack & Churchill	2021-08-12 08:30	-	-	16.4	<1	<1	4	0.29
GRAB	NWR-334	Chilliwack & Churchill	2021-08-20 10:06	-	-	17.6	<1	<1	12	0.95
GRAB	NWR-334	Chilliwack & Churchill	2021-08-22 09:33	-	-	15.8	<1	<1	4	0.29
GRAB	NWR-334	Chilliwack & Churchill	2021-08-30 08:20	-	-	15	<1	<1	6	0.28
GRAB	NWR-334	Chilliwack & Churchill	2021-08-31 07:01	-	-	14.8	<1	<1	2	0.47
GRAB	NWR-334	Chilliwack & Churchill	2021-09-02 13:14	-	-	16.1	<1	<1	4	0.88
GRAB	NWR-334	Chilliwack & Churchill	2021-09-03 07:47	-	-	16.1	<1	<1	<2	0.22
GRAB	NWR-334	Chilliwack & Churchill	2021-09-08 09:11	-	-	16.3	<1	<1	<2	0.38
GRAB	NWR-334	Chilliwack & Churchill	2021-09-14 07:26	-	-	16.3	<1	<1	<2	1.4
GRAB	NWR-334	Chilliwack & Churchill	2021-09-21 06:27	-	-	15	<1	<1	6	0.64
GRAB	NWR-334	Chilliwack & Churchill	2021-09-24 08:07	-	-	14.4	<1	<1	4	1.1
GRAB	NWR-334	Chilliwack & Churchill	2021-09-27 07:19	-	-	16	<1	<1	12	2
GRAB	NWR-334	Chilliwack & Churchill	2021-09-29 07:11	-	-	14.6	<1	<1	12	1.2
GRAB	NWR-334	Chilliwack & Churchill	2021-10-05 07:23	-	-	15	<1	<1	72	1.5
GRAB	NWR-334	Chilliwack & Churchill	2021-10-07 10:56	-	-	12.1	<1	<1	80	0.43
GRAB	NWR-334	Chilliwack & Churchill	2021-10-19 07:20	-	-	13.2	<1	<1	430	0.69
GRAB	NWR-334	Chilliwack & Churchill	2021-10-21 07:40	-	-	13.2	<1	<1	86	0.32
GRAB	NWR-334	Chilliwack & Churchill	2021-10-24 11:23	-	-	12.9	<1	<1	210	0.34
GRAB	NWR-334	Chilliwack & Churchill	2021-10-25 07:43	-	-	13	<1	<1	36	0.27
GRAB	NWR-334	Chilliwack & Churchill	2021-10-26 12:22	-	-	11.8	<1	<1	92	0.84

GRAB	NWR-334	Chilliwack & Churchill	2021-10-27 13:01	-	-	13	<1	<1	280	0.29
GRAB	NWR-334	Chilliwack & Churchill	2021-10-28 12:56	-	-	12.4	<1	<1	140	0.35
GRAB	NWR-334	Chilliwack & Churchill	2021-10-31 11:48	-	-	12	<1	<1	220	0.24
GRAB	NWR-334	Chilliwack & Churchill	2021-11-01 07:42	-	-	12.1	<1	<1	160	0.28
GRAB	NWR-334	Chilliwack & Churchill	2021-11-04 07:11	-	-	12.5	<1	<1	290	0.38
GRAB	NWR-334	Chilliwack & Churchill	2021-11-05 08:05	-	-	10.3	<1	<1	260	0.27
GRAB	NWR-334	Chilliwack & Churchill	2021-11-07 13:57	-	-	10.9	<1	<1	120	0.21
GRAB	NWR-334	Chilliwack & Churchill	2021-11-09 07:44	-	-	10.6	<1	<1	410	0.27
GRAB	NWR-334	Chilliwack & Churchill	2021-11-15 07:36	-	-	10.8	<1	<1	140	0.24
GRAB	NWR-334	Chilliwack & Churchill	2021-11-17 07:25	-	-	10.4	<1	<1	170	0.25
GRAB	NWR-334	Chilliwack & Churchill	2021-11-22 07:56	-	-	9.4	<1	<1	130	0.32
GRAB	NWR-334	Chilliwack & Churchill	2021-11-29 07:38	-	-	9.6	<1	<1	110	0.41
GRAB	NWR-334	Chilliwack & Churchill	2021-12-01 08:06	-	-	9.8	<1	<1	72	0.32
GRAB	NWR-334	Chilliwack & Churchill	2021-12-05 12:05	-	-	8.7	<1	<1	58	0.28
GRAB	NWR-334	Chilliwack & Churchill	2021-12-07 07:48	-	-	8.3	<1	<1	42	0.25
GRAB	NWR-334	Chilliwack & Churchill	2021-12-10 07:40	-	-	5.2	<1	<1	40	0.19
GRAB	NWR-334	Chilliwack & Churchill	2021-12-14 07:55	-	-	8	<1	<1	62	0.21
GRAB	NWR-334	Chilliwack & Churchill	2021-12-17 11:23	-	-	7.2	<1	<1	68	0.21
GRAB	NWR-334	Chilliwack & Churchill	2021-12-22 07:46	-	-	6.9	<1	<1	NA	0.45
GRAB	NWR-334	Chilliwack & Churchill	2021-12-27 12:16	-	-	6	<1	<1	NA	0.47
GRAB	NWR-334	Chilliwack & Churchill	2021-12-29 13:24	-	-	6.6	<1	<1	NA	0.48
GRAB	NWR-334	Chilliwack & Churchill	2021-12-31 12:18	-	-	4.7	<1	<1	NA	0.46
GRAB	NWR-335	Cariboo & 13th Street	2021-01-05 10:27	-	-	8.3	<1	<1	<2	0.16
GRAB	NWR-335	Cariboo & 13th Street	2021-01-15 09:49	-	-	7.6	<1	<1	<2	0.14
GRAB	NWR-335	Cariboo & 13th Street	2021-01-20 09:50	-	-	7.2	<1	<1	<2	0.29
GRAB	NWR-335	Cariboo & 13th Street	2021-01-27 08:29	-	-	6.8	<1	<1	<2	0.28
GRAB	NWR-335	Cariboo & 13th Street	2021-02-03 11:48	-	-	6.9	<1	<1	<2	0.19
GRAB	NWR-335	Cariboo & 13th Street	2021-02-06 11:39	-	-	6.5	<1	<1	<2	0.19
GRAB	NWR-335	Cariboo & 13th Street	2021-02-10 10:02	-	-	6.3	<1	<1	<2	0.25
GRAB	NWR-335	Cariboo & 13th Street	2021-02-12 09:16	-	-	5	<1	<1	<2	0.24
GRAB	NWR-335	Cariboo & 13th Street	2021-02-14 09:02	-	-	6	<1	<1	<2	0.31
GRAB	NWR-335	Cariboo & 13th Street	2021-02-17 09:59	-	-	5.5	<1	<1	<2	0.25

GRAB	NWR-335	Cariboo & 13th Street	2021-02-19 12:02	-	-	5.7	<1	<1	<2	0.12
GRAB	NWR-335	Cariboo & 13th Street	2021-02-21 11:02	-	-	6.1	<1	<1	<2	0.22
GRAB	NWR-335	Cariboo & 13th Street	2021-02-25 09:06	-	-	4.7	<1	<1	<2	0.14
GRAB	NWR-335	Cariboo & 13th Street	2021-02-28 11:52	-	-	6.5	<1	<1	<2	0.4
GRAB	NWR-335	Cariboo & 13th Street	2021-03-02 11:27	-	-	7	<1	<1	<2	0.37
GRAB	NWR-335	Cariboo & 13th Street	2021-03-05 10:02	-	-	5.9	<1	<1	6	0.3
GRAB	NWR-335	Cariboo & 13th Street	2021-03-07 10:14	-	-	7.1	<1	<1	<2	0.12
GRAB	NWR-335	Cariboo & 13th Street	2021-03-09 09:08	-	-	5.9	<1	<1	<2	0.25
GRAB	NWR-335	Cariboo & 13th Street	2021-03-15 12:59	-	-	6.8	<1	<1	<2	0.26
GRAB	NWR-335	Cariboo & 13th Street	2021-03-17 08:19	-	-	8	<1	<1	<2	0.25
GRAB	NWR-335	Cariboo & 13th Street	2021-03-19 12:49	-	-	6.3	<1	<1	<2	0.28
GRAB	NWR-335	Cariboo & 13th Street	2021-03-24 11:00	-	-	7.3	<1	<1	<2	0.7
GRAB	NWR-335	Cariboo & 13th Street	2021-03-29 08:35	-	-	7.9	<1	<1	<2	0.17
GRAB	NWR-335	Cariboo & 13th Street	2021-04-08 08:23	-	-	8.7	<1	<1	<2	0.2
GRAB	NWR-335	Cariboo & 13th Street	2021-04-14 08:19	-	-	9.3	<1	<1	<2	0.16
GRAB	NWR-335	Cariboo & 13th Street	2021-04-15 08:07	-	-	7.4	<1	<1	<2	0.21
GRAB	NWR-335	Cariboo & 13th Street	2021-04-21 11:17	-	-	9.9	<1	<1	<2	0.14
GRAB	NWR-335	Cariboo & 13th Street	2021-04-22 09:17	-	-	11.7	<1	<1	<2	0.21
GRAB	NWR-335	Cariboo & 13th Street	2021-04-28 12:55	-	-	11.7	<1	<1	<2	0.55
GRAB	NWR-335	Cariboo & 13th Street	2021-05-03 08:24	-	-	12.3	<1	<1	<2	0.25
GRAB	NWR-335	Cariboo & 13th Street	2021-05-11 11:18	-	-	12.8	<1	<1	<2	0.23
GRAB	NWR-335	Cariboo & 13th Street	2021-05-12 08:56	-	-	8.9	<1	<1	<2	0.29
GRAB	NWR-335	Cariboo & 13th Street	2021-05-14 12:51	-	-	13.1	<1	<1	<2	0.27
GRAB	NWR-335	Cariboo & 13th Street	2021-05-18 10:57	-	-	13.8	<1	<1	<2	0.27
GRAB	NWR-335	Cariboo & 13th Street	2021-05-26 10:18	-	-	14.1	<1	<1	<2	0.27
GRAB	NWR-335	Cariboo & 13th Street	2021-06-01 10:34	-	-	14.5	<1	<1	4	0.35
GRAB	NWR-335	Cariboo & 13th Street	2021-06-08 09:04	-	-	14.7	<1	<1	<2	0.25
GRAB	NWR-335	Cariboo & 13th Street	2021-06-15 10:38	-	-	14	<1	<1	2	0.19
GRAB	NWR-335	Cariboo & 13th Street	2021-06-17 12:33	-	-	13.1	<1	<1	<2	0.15
GRAB	NWR-335	Cariboo & 13th Street	2021-06-22 08:30	-	-	15.7	<1	<1	<2	0.2
GRAB	NWR-335	Cariboo & 13th Street	2021-07-02 09:19	-	-	13.2	<1	<1	<2	0.2
GRAB	NWR-335	Cariboo & 13th Street	2021-07-05 10:14	-	-	17.5	<1	<1	<2	0.21

GRAB	NWR-335	Cariboo & 13th Street	2021-07-08 08:42	-	-	16.9	<1	<1	<2	0.26
GRAB	NWR-335	Cariboo & 13th Street	2021-07-15 10:57	-	-	18.4	<1	<1	<2	0.66
GRAB	NWR-335	Cariboo & 13th Street	2021-07-20 08:54	-	-	18.4	<1	<1	<2	0.24
GRAB	NWR-335	Cariboo & 13th Street	2021-07-26 12:00	-	-	18.2	<1	<1	50	0.5
GRAB	NWR-335	Cariboo & 13th Street	2021-07-28 13:23	-	-	18.2	<1	<1	58	0.26
GRAB	NWR-335	Cariboo & 13th Street	2021-07-30 11:44	-	-	19.4	<1	<1	36	0.34
GRAB	NWR-335	Cariboo & 13th Street	2021-08-04 11:41	-	-	19.4	<1	<1	44	0.23
GRAB	NWR-335	Cariboo & 13th Street	2021-08-12 10:55	-	-	20	<1	<1	22	0.22
GRAB	NWR-335	Cariboo & 13th Street	2021-08-20 11:14	-	-	19.7	<1	<1	6	0.35
GRAB	NWR-335	Cariboo & 13th Street	2021-08-22 12:48	-	-	19.5	<1	<1	16	0.34
GRAB	NWR-335	Cariboo & 13th Street	2021-08-30 10:42	-	-	17.2	<1	<1	14	0.26
GRAB	NWR-335	Cariboo & 13th Street	2021-08-31 08:43	-	-	16.2	<1	<1	<2	0.27
GRAB	NWR-335	Cariboo & 13th Street	2021-09-03 09:41	-	-	15.1	<1	<1	<2	0.23
GRAB	NWR-335	Cariboo & 13th Street	2021-09-08 10:32	-	-	18.6	<1	<1	120	3.9
GRAB	NWR-335	Cariboo & 13th Street	2021-09-14 08:49	-	-	18.7	<1	<1	8	0.32
GRAB	NWR-335	Cariboo & 13th Street	2021-09-21 09:42	-	-	16.5	<1	<1	<2	0.26
GRAB	NWR-335	Cariboo & 13th Street	2021-09-24 09:59	-	-	13.8	<1	<1	<2	0.29
GRAB	NWR-335	Cariboo & 13th Street	2021-09-27 08:31	-	-	17.4	<1	<1	6	0.26
GRAB	NWR-335	Cariboo & 13th Street	2021-10-05 08:37	-	-	15.6	<1	<1	<2	0.12
GRAB	NWR-335	Cariboo & 13th Street	2021-10-07 12:59	-	-	12.9	<1	<1	<2	0.17
GRAB	NWR-335	Cariboo & 13th Street	2021-10-08 12:46	-	-	13.1	<1	<1	2	0.19
GRAB	NWR-335	Cariboo & 13th Street	2021-10-18 08:58	-	-	12	<1	<1	<2	0.14
GRAB	NWR-335	Cariboo & 13th Street	2021-10-19 08:49	-	-	13.5	<1	<1	22	0.16
GRAB	NWR-335	Cariboo & 13th Street	2021-10-21 09:33	-	-	13.2	<1	<1	2	0.18
GRAB	NWR-335	Cariboo & 13th Street	2021-10-24 12:56	-	-	13.1	<1	<1	28	0.19
GRAB	NWR-335	Cariboo & 13th Street	2021-10-25 09:30	-	-	13.1	<1	<1	4	0.14
GRAB	NWR-335	Cariboo & 13th Street	2021-10-27 12:06	-	-	12.1	<1	<1	12	0.21
GRAB	NWR-335	Cariboo & 13th Street	2021-10-31 13:28	-	-	12	<1	<1	2	0.13
GRAB	NWR-335	Cariboo & 13th Street	2021-11-01 09:31	-	-	12	<1	<1	4	0.22
GRAB	NWR-335	Cariboo & 13th Street	2021-11-04 09:19	-	-	14.1	<1	<1	<2	0.14
GRAB	NWR-335	Cariboo & 13th Street	2021-11-05 09:18	-	-	12.3	<1	<1	2	0.11
GRAB	NWR-335	Cariboo & 13th Street	2021-11-07 12:24	-	-	11.2	<1	<1	<2	0.12

GRAB	NWR-335	Cariboo & 13th Street	2021-11-09 09:47	-	-	10.1	<1	<1	<2	0.1
GRAB	NWR-335	Cariboo & 13th Street	2021-11-15 09:42	-	-	11	<1	<1	<2	0.15
GRAB	NWR-335	Cariboo & 13th Street	2021-11-17 08:56	-	-	10.4	<1	<1	<2	0.16
GRAB	NWR-335	Cariboo & 13th Street	2021-11-22 09:33	-	-	9.6	<1	<1	<2	0.18
GRAB	NWR-335	Cariboo & 13th Street	2021-11-29 09:26	-	-	9.8	<1	<1	<2	0.12
GRAB	NWR-335	Cariboo & 13th Street	2021-12-01 11:21	-	-	10.2	<1	<1	<2	0.17
GRAB	NWR-335	Cariboo & 13th Street	2021-12-05 13:34	-	-	9.2	<1	<1	<2	0.12
GRAB	NWR-335	Cariboo & 13th Street	2021-12-07 09:38	-	-	8.7	<1	<1	<2	0.16
GRAB	NWR-335	Cariboo & 13th Street	2021-12-14 10:13	-	-	8.1	<1	<1	2	0.11
GRAB	NWR-335	Cariboo & 13th Street	2021-12-22 09:23	-	-	7	<1	<1	NA	0.42
GRAB	NWR-335	Cariboo & 13th Street	2021-12-29 11:51	-	-	4.9	<1	<1	NA	0.47
GRAB	NWR-335	Cariboo & 13th Street	2021-12-31 11:15	-	-	4.9	<1	<1	NA	0.43
GRAB	NWR-336	37 Agnes Street	2021-01-05 11:26	-	-	7.6	<1	<1	<2	0.27
GRAB	NWR-336	37 Agnes Street	2021-01-15 09:00	-	-	7	<1	<1	<2	0.16
GRAB	NWR-336	37 Agnes Street	2021-01-20 08:51	-	-	7	<1	<1	<2	0.11
GRAB	NWR-336	37 Agnes Street	2021-01-27 09:06	-	-	6.6	<1	<1	<2	0.28
GRAB	NWR-336	37 Agnes Street	2021-01-29 12:47	-	-	5.9	<1	<1	<2	0.31
GRAB	NWR-336	37 Agnes Street	2021-02-03 12:43	-	-	6.7	<1	<1	<2	0.24
GRAB	NWR-336	37 Agnes Street	2021-02-04 12:21	-	-	6	<1	<1	<2	0.11
GRAB	NWR-336	37 Agnes Street	2021-02-10 10:39	-	-	6.2	<1	<1	<2	0.22
GRAB	NWR-336	37 Agnes Street	2021-02-12 08:43	-	-	4.9	<1	<1	<2	0.33
GRAB	NWR-336	37 Agnes Street	2021-02-14 10:22	-	-	5.4	<1	<1	2	0.26
GRAB	NWR-336	37 Agnes Street	2021-02-17 08:47	-	-	5.8	<1	<1	<2	0.24
GRAB	NWR-336	37 Agnes Street	2021-02-19 11:14	-	-	5.8	<1	<1	<2	0.13
GRAB	NWR-336	37 Agnes Street	2021-02-21 12:01	-	-	5.7	<1	<1	<2	0.16
GRAB	NWR-336	37 Agnes Street	2021-02-25 08:18	-	-	4.5	<1	<1	<2	0.13
GRAB	NWR-336	37 Agnes Street	2021-02-28 12:22	-	-	6	<1	<1	<2	0.32
GRAB	NWR-336	37 Agnes Street	2021-03-02 12:11	-	-	6.4	<1	<1	<2	0.37
GRAB	NWR-336	37 Agnes Street	2021-03-05 08:58	-	-	5.7	<1	<1	<2	0.33
GRAB	NWR-336	37 Agnes Street	2021-03-07 11:57	-	-	6.9	<1	<1	<2	0.13
GRAB	NWR-336	37 Agnes Street	2021-03-09 08:13	-	-	5.4	<1	<1	<2	0.19
GRAB	NWR-336	37 Agnes Street	2021-03-15 12:25	-	-	7.2	<1	<1	<2	0.27

GRAB	NWR-336	37 Agnes Street	2021-03-17 08:43	-	-	7.7	<1	<1	<2	0.26
GRAB	NWR-336	37 Agnes Street	2021-03-19 11:32	-	-	6.6	<1	<1	<2	0.28
GRAB	NWR-336	37 Agnes Street	2021-03-24 11:44	-	-	7.5	<1	<1	<2	0.17
GRAB	NWR-336	37 Agnes Street	2021-03-29 09:04	-	-	8	<1	<1	2	1.6
GRAB	NWR-336	37 Agnes Street	2021-04-08 08:50	-	-	8.9	<1	<1	<2	0.2
GRAB	NWR-336	37 Agnes Street	2021-04-12 07:44	-	-	4.9	<1	<1	<2	0.25
GRAB	NWR-336	37 Agnes Street	2021-04-14 08:46	-	-	9	<1	<1	<2	0.19
GRAB	NWR-336	37 Agnes Street	2021-04-15 07:34	-	-	7.1	<1	<1	<2	0.16
GRAB	NWR-336	37 Agnes Street	2021-04-21 12:02	-	-	9.5	<1	<1	<2	0.33
GRAB	NWR-336	37 Agnes Street	2021-04-22 08:31	-	-	11.2	<1	<1	<2	0.24
GRAB	NWR-336	37 Agnes Street	2021-04-29 07:31	-	-	8.4	<1	<1	<2	0.22
GRAB	NWR-336	37 Agnes Street	2021-05-03 08:51	-	-	12.1	<1	<1	<2	0.25
GRAB	NWR-336	37 Agnes Street	2021-05-11 12:09	-	-	11.2	<1	<1	<2	0.23
GRAB	NWR-336	37 Agnes Street	2021-05-12 07:56	-	-	9.2	<1	<1	<2	0.27
GRAB	NWR-336	37 Agnes Street	2021-05-14 11:36	-	-	10.2	<1	<1	<2	0.32
GRAB	NWR-336	37 Agnes Street	2021-05-18 12:03	-	-	13.9	<1	<1	<2	0.33
GRAB	NWR-336	37 Agnes Street	2021-05-20 07:51	-	-	13.5	<1	<1	<2	0.23
GRAB	NWR-336	37 Agnes Street	2021-05-26 11:19	-	-	13.7	<1	<1	2	1.1
GRAB	NWR-336	37 Agnes Street	2021-06-01 11:43	-	-	14	<1	<1	<2	0.29
GRAB	NWR-336	37 Agnes Street	2021-06-08 09:28	-	-	14.6	<1	<1	<2	0.26
GRAB	NWR-336	37 Agnes Street	2021-06-15 11:39	-	-	14.2	<1	<1	2	0.18
GRAB	NWR-336	37 Agnes Street	2021-06-22 08:58	-	-	15.6	<1	<1	<2	0.2
GRAB	NWR-336	37 Agnes Street	2021-07-02 08:35	-	-	12.1	<1	<1	6	0.13
GRAB	NWR-336	37 Agnes Street	2021-07-05 11:05	-	-	18.6	<1	<1	<2	0.22
GRAB	NWR-336	37 Agnes Street	2021-07-08 07:50	-	-	11.8	<1	<1	<2	0.25
GRAB	NWR-336	37 Agnes Street	2021-07-09 13:05	-	-	18	<1	<1	<2	0.21
GRAB	NWR-336	37 Agnes Street	2021-07-15 11:44	-	-	18.7	<1	<1	<2	0.27
GRAB	NWR-336	37 Agnes Street	2021-07-16 08:09	-	-	13.4	<1	<1	<2	0.29
GRAB	NWR-336	37 Agnes Street	2021-07-20 09:23	-	-	18.4	<1	<1	<2	0.23
GRAB	NWR-336	37 Agnes Street	2021-07-26 12:34	-	-	18.5	<1	<1	6	0.34
GRAB	NWR-336	37 Agnes Street	2021-07-28 13:59	-	-	17.8	<1	<1	<2	0.3
GRAB	NWR-336	37 Agnes Street	2021-07-30 12:00	-	-	19.8	<1	<1	6	0.25

GRAB	NWR-336	37 Agnes Street	2021-08-04 12:25	-	-	18.5	<1	<1	<2	0.29
GRAB	NWR-336	37 Agnes Street	2021-08-05 11:59	-	-	17.1	<1	<1	8	0.25
GRAB	NWR-336	37 Agnes Street	2021-08-12 11:50	-	-	20.5	<1	<1	16	0.25
GRAB	NWR-336	37 Agnes Street	2021-08-20 11:50	-	-	20	1	<1	8	0.32
GRAB	NWR-336	37 Agnes Street	2021-08-25 08:30	-	-	18.9	<1	<1	16	0.22
GRAB	NWR-336	37 Agnes Street	2021-08-30 11:55	-	-	16.1	<1	<1	6	0.21
GRAB	NWR-336	37 Agnes Street	2021-08-31 07:50	-	-	16.3	<1	<1	2	0.26
GRAB	NWR-336	37 Agnes Street	2021-09-03 08:29	-	-	16.3	<1	<1	<2	0.21
GRAB	NWR-336	37 Agnes Street	2021-09-08 11:10	-	-	19	<1	<1	<2	0.34
GRAB	NWR-336	37 Agnes Street	2021-09-14 09:16	-	-	18.9	<1	<1	4	0.26
GRAB	NWR-336	37 Agnes Street	2021-09-17 11:59	-	-	15.1	<1	<1	<2	0.23
GRAB	NWR-336	37 Agnes Street	2021-09-21 08:27	-	-	19.5	<1	<1	<2	0.21
GRAB	NWR-336	37 Agnes Street	2021-09-24 08:57	-	-	13.8	<1	<1	6	0.26
GRAB	NWR-336	37 Agnes Street	2021-09-27 08:58	-	-	17.5	<1	<1	4	0.23
GRAB	NWR-336	37 Agnes Street	2021-10-05 09:03	-	-	15.7	<1	<1	2	0.15
GRAB	NWR-336	37 Agnes Street	2021-10-07 11:59	-	-	13.3	<1	<1	2	0.13
GRAB	NWR-336	37 Agnes Street	2021-10-18 09:42	-	-	12.7	<1	<1	12	0.14
GRAB	NWR-336	37 Agnes Street	2021-10-19 09:16	-	-	13.5	<1	<1	18	0.18
GRAB	NWR-336	37 Agnes Street	2021-10-21 10:27	-	-	13.3	<1	<1	2	0.19
GRAB	NWR-336	37 Agnes Street	2021-10-25 11:00	-	-	13	<1	<1	2	0.17
GRAB	NWR-336	37 Agnes Street	2021-10-26 13:01	-	-	11.8	<1	<1	8	0.14
GRAB	NWR-336	37 Agnes Street	2021-10-27 12:38	-	-	14	<1	<1	4	0.14
GRAB	NWR-336	37 Agnes Street	2021-11-01 10:21	-	-	12.2	<1	<1	4	0.12
GRAB	NWR-336	37 Agnes Street	2021-11-04 08:05	-	-	13.2	<1	<1	6	0.11
GRAB	NWR-336	37 Agnes Street	2021-11-05 09:02	-	-	12.4	<1	<1	2	0.15
GRAB	NWR-336	37 Agnes Street	2021-11-07 13:01	-	-	11.3	<1	<1	4	0.12
GRAB	NWR-336	37 Agnes Street	2021-11-09 10:26	-	-	11	<1	<1	<2	0.14
GRAB	NWR-336	37 Agnes Street	2021-11-15 10:24	-	-	10.8	<1	<1	<2	0.13
GRAB	NWR-336	37 Agnes Street	2021-11-17 09:30	-	-	10.5	<1	<1	2	0.15
GRAB	NWR-336	37 Agnes Street	2021-11-22 10:18	-	-	9.6	<1	<1	<2	0.18
GRAB	NWR-336	37 Agnes Street	2021-11-29 09:58	-	-	9.6	<1	<1	2	0.14
GRAB	NWR-336	37 Agnes Street	2021-12-01 12:05	-	-	10	<1	<1	<2	0.17

GRAB	NWR-336	37 Agnes Street	2021-12-07 10:17	-	-	8.6	<1	<1	<2	0.15
GRAB	NWR-336	37 Agnes Street	2021-12-10 08:43	-	-	8	<1	<1	<2	0.11
GRAB	NWR-336	37 Agnes Street	2021-12-14 10:51	-	-	8	<1	<1	<2	0.15
GRAB	NWR-336	37 Agnes Street	2021-12-17 10:32	-	-	7.2	<1	<1	<2	0.1
GRAB	NWR-336	37 Agnes Street	2021-12-22 09:55	-	-	6.8	<1	<1	NA	0.4
GRAB	NWR-336	37 Agnes Street	2021-12-31 10:26	-	-	4.4	<1	<1	NA	0.39
GRAB	NWR-337	4th & Arbutus	2021-01-05 09:16	-	-	7.5	<1	<1	<2	0.21
GRAB	NWR-337	4th & Arbutus	2021-01-15 08:49	-	-	6.9	<1	<1	<2	0.14
GRAB	NWR-337	4th & Arbutus	2021-01-20 08:46	-	-	6.6	<1	<1	<2	0.13
GRAB	NWR-337	4th & Arbutus	2021-01-27 07:48	-	-	5.9	<1	<1	<2	0.28
GRAB	NWR-337	4th & Arbutus	2021-01-29 12:33	-	-	5.9	<1	<1	<2	0.33
GRAB	NWR-337	4th & Arbutus	2021-02-03 10:29	-	-	6.2	<1	<1	<2	0.21
GRAB	NWR-337	4th & Arbutus	2021-02-04 12:02	-	-	6.1	<1	<1	2	0.11
GRAB	NWR-337	4th & Arbutus	2021-02-06 07:36	-	-	6.1	<1	<1	<2	0.13
GRAB	NWR-337	4th & Arbutus	2021-02-10 08:39	-	-	5.7	<1	<1	<2	0.22
GRAB	NWR-337	4th & Arbutus	2021-02-12 08:37	-	-	4.5	<1	<1	<2	0.23
GRAB	NWR-337	4th & Arbutus	2021-02-14 07:55	-	-	5.1	<1	<1	<2	0.25
GRAB	NWR-337	4th & Arbutus	2021-02-17 08:40	-	-	5.1	<1	<1	<2	0.23
GRAB	NWR-337	4th & Arbutus	2021-02-19 11:00	-	-	4.8	<1	<1	<2	0.13
GRAB	NWR-337	4th & Arbutus	2021-02-21 09:39	-	-	5.3	<1	<1	<2	0.16
GRAB	NWR-337	4th & Arbutus	2021-02-25 08:13	-	-	4.9	<1	<1	<2	0.14
GRAB	NWR-337	4th & Arbutus	2021-02-28 09:18	-	-	4.9	<1	<1	<2	0.42
GRAB	NWR-337	4th & Arbutus	2021-03-02 09:12	-	-	5.3	<1	<1	<2	0.71
GRAB	NWR-337	4th & Arbutus	2021-03-05 08:49	-	-	5.8	<1	<1	<2	0.33
GRAB	NWR-337	4th & Arbutus	2021-03-07 08:51	-	-	6.2	<1	<1	<2	0.52
GRAB	NWR-337	4th & Arbutus	2021-03-09 08:06	-	-	5.9	<1	<1	2	0.26
GRAB	NWR-337	4th & Arbutus	2021-03-15 12:09	-	-	7.1	<1	<1	<2	0.24
GRAB	NWR-337	4th & Arbutus	2021-03-17 07:39	-	-	6.9	<1	<1	<2	0.26
GRAB	NWR-337	4th & Arbutus	2021-03-21 12:43	-	-	7	<1	<1	<2	0.15
GRAB	NWR-337	4th & Arbutus	2021-03-24 09:38	-	-	6.8	<1	<1	<2	0.18
GRAB	NWR-337	4th & Arbutus	2021-03-29 07:52	-	-	7.3	<1	<1	<2	0.26
GRAB	NWR-337	4th & Arbutus	2021-04-08 07:42	-	-	7.8	<1	<1	<2	0.16

GRAB	NWR-337	4th & Arbutus	2021-04-12 07:39	-	-	5	<1	<1	<2	0.32
GRAB	NWR-337	4th & Arbutus	2021-04-21 10:15	-	-	10.5	<1	<1	<2	0.17
GRAB	NWR-337	4th & Arbutus	2021-04-22 08:18	-	-	12	<1	<1	<2	0.3
GRAB	NWR-337	4th & Arbutus	2021-04-27 12:58	-	-	9.3	<1	<1	<2	0.19
GRAB	NWR-337	4th & Arbutus	2021-04-28 12:00	-	-	11.7	<1	<1	<2	0.21
GRAB	NWR-337	4th & Arbutus	2021-05-03 07:42	-	-	11.6	<1	<1	<2	0.26
GRAB	NWR-337	4th & Arbutus	2021-05-11 10:15	-	-	11.3	<1	<1	<2	0.25
GRAB	NWR-337	4th & Arbutus	2021-05-12 07:47	-	-	8.9	<1	<1	<2	0.33
GRAB	NWR-337	4th & Arbutus	2021-05-14 11:23	-	-	10.8	<1	<1	<2	0.25
GRAB	NWR-337	4th & Arbutus	2021-05-18 09:47	-	-	11	<1	<1	<2	0.26
GRAB	NWR-337	4th & Arbutus	2021-05-20 07:42	-	-	12.8	<1	<1	<2	3.8
GRAB	NWR-337	4th & Arbutus	2021-05-26 09:20	-	-	12.5	CG	CG	24	0.25
GRAB	NWR-337	4th & Arbutus	2021-05-28 13:00	<1	<1	12.2	-	-	<2	0.21
GRAB	NWR-337	4th & Arbutus	2021-05-29 07:40	-	-	11.8	<1	<1	<2	0.23
GRAB	NWR-337	4th & Arbutus	2021-06-01 09:13	-	-	11.9	<1	<1	<2	0.24
GRAB	NWR-337	4th & Arbutus	2021-06-02 12:02	-	-	12.9	<1	<1	<2	0.32
GRAB	NWR-337	4th & Arbutus	2021-06-03 13:09	-	-	13	<1	<1	<2	0.29
GRAB	NWR-337	4th & Arbutus	2021-06-04 12:40	-	-	13.1	<1	<1	<2	0.29
GRAB	NWR-337	4th & Arbutus	2021-06-08 08:20	-	-	12.4	<1	<1	<2	0.2
GRAB	NWR-337	4th & Arbutus	2021-06-15 09:35	-	-	12.2	<1	<1	<2	0.18
GRAB	NWR-337	4th & Arbutus	2021-06-16 13:19	-	-	11.2	<1	<1	<2	0.15
GRAB	NWR-337	4th & Arbutus	2021-06-18 08:50	-	-	12	<1	<1	2	0.14
GRAB	NWR-337	4th & Arbutus	2021-06-22 07:49	-	-	13.1	<1	<1	<2	0.22
GRAB	NWR-337	4th & Arbutus	2021-07-02 08:26	-	-	13	<1	<1	<2	0.18
GRAB	NWR-337	4th & Arbutus	2021-07-05 09:25	-	-	16.9	<1	<1	<2	0.17
GRAB	NWR-337	4th & Arbutus	2021-07-08 07:42	-	-	13	<1	<1	<2	0.25
GRAB	NWR-337	4th & Arbutus	2021-07-09 12:49	-	-	16.9	<1	<1	<2	0.28
GRAB	NWR-337	4th & Arbutus	2021-07-15 09:55	-	-	16.5	<1	<1	<2	0.39
GRAB	NWR-337	4th & Arbutus	2021-07-16 07:57	-	-	14.1	<1	<1	2	0.25
GRAB	NWR-337	4th & Arbutus	2021-07-20 08:10	-	-	16.8	<1	<1	<2	0.21
GRAB	NWR-337	4th & Arbutus	2021-07-26 10:59	-	-	16.7	<1	<1	<2	0.25
GRAB	NWR-337	4th & Arbutus	2021-07-28 11:55	-	-	17.6	<1	<1	<2	0.26

GRAB	NWR-337	4th & Arbutus	2021-08-04 09:45	-	-	18.8	<1	<1	4	0.28
GRAB	NWR-337	4th & Arbutus	2021-08-05 11:17	-	-	16.8	<1	<1	2	0.25
GRAB	NWR-337	4th & Arbutus	2021-08-12 10:06	-	-	18	<1	<1	8	0.33
GRAB	NWR-337	4th & Arbutus	2021-08-20 10:34	-	-	17.9	<1	<1	<2	0.28
GRAB	NWR-337	4th & Arbutus	2021-08-22 10:47	-	-	17.4	<1	<1	12	0.29
GRAB	NWR-337	4th & Arbutus	2021-08-30 09:52	-	-	15.3	<1	<1	<2	0.28
GRAB	NWR-337	4th & Arbutus	2021-08-31 07:40	-	-	16.6	<1	<1	<2	0.26
GRAB	NWR-337	4th & Arbutus	2021-09-02 13:43	-	-	17.3	<1	<1	2	0.23
GRAB	NWR-337	4th & Arbutus	2021-09-03 08:18	-	-	16.6	<1	<1	<2	0.19
GRAB	NWR-337	4th & Arbutus	2021-09-08 09:54	-	-	17.1	<1	<1	<2	0.35
GRAB	NWR-337	4th & Arbutus	2021-09-14 08:09	-	-	17	<1	<1	2	0.27
GRAB	NWR-337	4th & Arbutus	2021-09-17 11:25	-	-	14.8	<1	<1	6	0.34
GRAB	NWR-337	4th & Arbutus	2021-09-21 07:46	-	-	15.7	<1	<1	4	0.2
GRAB	NWR-337	4th & Arbutus	2021-09-24 08:51	-	-	14.7	<1	<1	<2	0.37
GRAB	NWR-337	4th & Arbutus	2021-09-27 07:50	-	-	15.8	<1	<1	<2	0.24
GRAB	NWR-337	4th & Arbutus	2021-09-29 07:55	-	-	14.7	<1	<1	<2	0.12
GRAB	NWR-337	4th & Arbutus	2021-10-05 07:55	-	-	14.5	<1	<1	<2	0.12
GRAB	NWR-337	4th & Arbutus	2021-10-07 11:42	-	-	13	<1	<1	<2	0.17
GRAB	NWR-337	4th & Arbutus	2021-10-08 11:31	-	-	13.6	<1	<1	<2	0.13
GRAB	NWR-337	4th & Arbutus	2021-10-18 09:33	-	-	13	<1	<1	<2	0.11
GRAB	NWR-337	4th & Arbutus	2021-10-19 07:53	-	-	12.7	<1	<1	68	0.22
GRAB	NWR-337	4th & Arbutus	2021-10-21 08:28	-	-	12.4	<1	<1	<2	0.2
GRAB	NWR-337	4th & Arbutus	2021-10-24 12:11	-	-	12.2	<1	<1	<2	0.14
GRAB	NWR-337	4th & Arbutus	2021-10-25 08:29	-	-	12.2	<1	<1	<2	0.15
GRAB	NWR-337	4th & Arbutus	2021-10-26 12:53	-	-	12	<1	<1	24	0.15
GRAB	NWR-337	4th & Arbutus	2021-10-31 12:42	-	-	11.3	<1	<1	<2	0.11
GRAB	NWR-337	4th & Arbutus	2021-11-01 08:29	-	-	11.3	<1	<1	8	0.17
GRAB	NWR-337	4th & Arbutus	2021-11-04 07:52	-	-	12.7	<1	<1	<2	0.13
GRAB	NWR-337	4th & Arbutus	2021-11-05 08:53	-	-	12.2	<1	<1	<2	0.14
GRAB	NWR-337	4th & Arbutus	2021-11-07 13:40	-	-	10.5	<1	<1	<2	0.12
GRAB	NWR-337	4th & Arbutus	2021-11-09 08:30	-	-	10.7	<1	<1	<2	0.14
GRAB	NWR-337	4th & Arbutus	2021-11-15 08:36	-	-	10.4	<1	<1	2	0.25

GRAB	NWR-337	4th & Arbutus	2021-11-17 08:12	-	-	9.4	<1	<1	2	0.17
GRAB	NWR-337	4th & Arbutus	2021-11-22 08:36	-	-	9	<1	<1	<2	0.23
GRAB	NWR-337	4th & Arbutus	2021-11-29 08:21	-	-	9.2	<1	<1	<2	0.12
GRAB	NWR-337	4th & Arbutus	2021-12-01 09:00	-	-	9.4	<1	<1	<2	0.11
GRAB	NWR-337	4th & Arbutus	2021-12-05 12:50	-	-	8.5	<1	<1	<2	0.1
GRAB	NWR-337	4th & Arbutus	2021-12-07 08:33	-	-	7.8	<1	<1	<2	0.14
GRAB	NWR-337	4th & Arbutus	2021-12-10 08:30	-	-	7.7	<1	<1	<2	0.12
GRAB	NWR-337	4th & Arbutus	2021-12-14 08:56	-	-	7.4	<1	<1	<2	0.14
GRAB	NWR-337	4th & Arbutus	2021-12-17 10:24	-	-	6.9	<1	<1	<2	0.13
GRAB	NWR-337	4th & Arbutus	2021-12-22 08:21	-	-	6.4	<1	<1	NA	0.43
GRAB	NWR-337	4th & Arbutus	2021-12-31 10:14	-	-	3.7	<1	<1	NA	0.5
GRAB	NWR-338	142 Carroll Street	2021-01-05 08:54	-	-	8.6	<1	<1	14	0.21
GRAB	NWR-338	142 Carroll Street	2021-01-15 08:30	-	-	7	<1	<1	12	0.17
GRAB	NWR-338	142 Carroll Street	2021-01-20 08:28	-	-	7.7	10	<1	28	0.18
GRAB	NWR-338	142 Carroll Street	2021-01-27 07:26	-	-	7.6	<1	<1	34	0.2
GRAB	NWR-338	142 Carroll Street	2021-02-03 09:28	-	-	7.2	<1	<1	24	0.19
GRAB	NWR-338	142 Carroll Street	2021-02-06 06:43	-	-	7.5	<1	<1	76	0.19
GRAB	NWR-338	142 Carroll Street	2021-02-10 08:04	-	-	7	<1	<1	30	0.18
GRAB	NWR-338	142 Carroll Street	2021-02-14 07:40	-	-	6.5	<1	<1	52	0.2
GRAB	NWR-338	142 Carroll Street	2021-02-17 08:22	-	-	6.3	<1	<1	12	0.23
GRAB	NWR-338	142 Carroll Street	2021-02-19 10:31	-	-	6.4	<1	<1	36	0.19
GRAB	NWR-338	142 Carroll Street	2021-02-21 09:07	-	-	6.5	<1	<1	18	0.22
GRAB	NWR-338	142 Carroll Street	2021-02-25 08:01	-	-	4.7	<1	<1	18	0.19
GRAB	NWR-338	142 Carroll Street	2021-02-28 08:55	-	-	6.7	<1	<1	10	0.22
GRAB	NWR-338	142 Carroll Street	2021-03-02 08:32	-	-	6.8	<1	<1	12	0.28
GRAB	NWR-338	142 Carroll Street	2021-03-05 08:21	-	-	6.8	<1	<1	12	0.31
GRAB	NWR-338	142 Carroll Street	2021-03-07 08:21	-	-	7	<1	<1	26	0.31
GRAB	NWR-338	142 Carroll Street	2021-03-09 07:44	-	-	6.7	<1	<1	14	0.23
GRAB	NWR-338	142 Carroll Street	2021-03-17 07:22	-	-	7.6	<1	<1	20	0.24
GRAB	NWR-338	142 Carroll Street	2021-03-19 11:05	-	-	7.3	<1	<1	14	0.22
GRAB	NWR-338	142 Carroll Street	2021-03-21 12:13	-	-	8	<1	<1	20	0.21
GRAB	NWR-338	142 Carroll Street	2021-03-24 09:10	-	-	7.8	<1	<1	18	0.34

GRAB	NWR-338	142 Carroll Street	2021-03-29 07:37	-	-	8.2	<1	<1	56	0.22
GRAB	NWR-338	142 Carroll Street	2021-04-08 07:26	-	-	8.8	<1	<1	18	0.22
GRAB	NWR-338	142 Carroll Street	2021-04-12 07:25	-	-	5	<1	<1	12	0.2
GRAB	NWR-338	142 Carroll Street	2021-04-14 07:31	-	-	9.1	<1	<1	8	0.23
GRAB	NWR-338	142 Carroll Street	2021-04-15 07:19	-	-	8.1	<1	<1	54	0.31
GRAB	NWR-338	142 Carroll Street	2021-04-21 08:55	-	-	9.7	<1	<1	10	0.36
GRAB	NWR-338	142 Carroll Street	2021-04-22 07:49	-	-	10.8	<1	<1	20	0.3
GRAB	NWR-338	142 Carroll Street	2021-04-27 12:43	-	-	11.9	<1	<1	26	0.21
GRAB	NWR-338	142 Carroll Street	2021-04-28 11:46	-	-	11.6	<1	<1	2	0.24
GRAB	NWR-338	142 Carroll Street	2021-05-03 07:28	-	-	12.4	<1	<1	20	0.34
GRAB	NWR-338	142 Carroll Street	2021-05-11 09:28	-	-	9.2	<1	<1	<2	0.69
GRAB	NWR-338	142 Carroll Street	2021-05-12 07:32	-	-	9.9	<1	<1	<2	0.27
GRAB	NWR-338	142 Carroll Street	2021-05-14 11:04	-	-	12.8	<1	<1	<2	0.33
GRAB	NWR-338	142 Carroll Street	2021-05-18 08:51	-	-	13	<1	<1	16	0.25
GRAB	NWR-338	142 Carroll Street	2021-05-20 07:25	-	-	12.6	<1	<1	6	0.26
GRAB	NWR-338	142 Carroll Street	2021-05-26 09:00	-	-	14	<1	<1	4	0.21
GRAB	NWR-338	142 Carroll Street	2021-06-01 08:42	-	-	14.7	<1	<1	8	0.33
GRAB	NWR-338	142 Carroll Street	2021-06-08 07:59	-	-	14.7	<1	<1	4	0.22
GRAB	NWR-338	142 Carroll Street	2021-06-15 08:05	-	-	15	<1	<1	<2	0.2
GRAB	NWR-338	142 Carroll Street	2021-06-18 08:22	-	-	14.9	<1	<1	8	0.14
GRAB	NWR-338	142 Carroll Street	2021-06-22 07:36	-	-	15.5	<1	<1	6	0.3
GRAB	NWR-338	142 Carroll Street	2021-07-02 08:11	-	-	13.7	<1	<1	4	0.18
GRAB	NWR-338	142 Carroll Street	2021-07-05 09:00	-	-	18	<1	<1	8	0.33
GRAB	NWR-338	142 Carroll Street	2021-07-08 07:33	-	-	15.2	<1	<1	<2	0.33
GRAB	NWR-338	142 Carroll Street	2021-07-15 09:26	-	-	17.6	<1	<1	<2	0.25
GRAB	NWR-338	142 Carroll Street	2021-07-16 07:42	-	-	16.1	<1	<1	4	0.22
GRAB	NWR-338	142 Carroll Street	2021-07-20 07:44	-	-	18.1	<1	<1	4	0.21
GRAB	NWR-338	142 Carroll Street	2021-07-26 09:57	-	-	18.2	<1	<1	2	0.4
GRAB	NWR-338	142 Carroll Street	2021-07-28 11:23	-	-	18.4	<1	<1	6	0.34
GRAB	NWR-338	142 Carroll Street	2021-08-04 09:16	-	-	18.4	<1	<1	4	0.35
GRAB	NWR-338	142 Carroll Street	2021-08-12 09:10	-	-	19.3	<1	<1	2	0.24
GRAB	NWR-338	142 Carroll Street	2021-08-20 10:23	-	-	19.8	<1	<1	8	0.31

GRAB	NWR-338	142 Carroll Street	2021-08-22 09:53	-	-	19.4	<1	<1	8	0.25
GRAB	NWR-338	142 Carroll Street	2021-08-30 08:53	-	-	17	<1	<1	<2	0.25
GRAB	NWR-338	142 Carroll Street	2021-08-31 07:22	-	-	19.2	<1	<1	26	0.27
GRAB	NWR-338	142 Carroll Street	2021-09-08 09:27	-	-	18.4	<1	<1	<2	0.28
GRAB	NWR-338	142 Carroll Street	2021-09-14 07:44	-	-	18.7	<1	<1	4	0.25
GRAB	NWR-338	142 Carroll Street	2021-09-21 07:00	-	-	17	<1	<1	<2	0.23
GRAB	NWR-338	142 Carroll Street	2021-09-24 08:32	-	-	15	<1	<1	<2	0.33
GRAB	NWR-338	142 Carroll Street	2021-09-27 07:38	-	-	17.2	<1	<1	<2	0.28
GRAB	NWR-338	142 Carroll Street	2021-09-29 07:38	-	-	14.9	<1	<1	<2	0.16
GRAB	NWR-338	142 Carroll Street	2021-10-05 07:42	-	-	15.9	<1	<1	2	0.14
GRAB	NWR-338	142 Carroll Street	2021-10-07 11:21	-	-	15.5	<1	<1	6	0.17
GRAB	NWR-338	142 Carroll Street	2021-10-19 07:38	-	-	13.4	<1	<1	82	0.15
GRAB	NWR-338	142 Carroll Street	2021-10-21 08:03	-	-	13.3	<1	<1	56	0.29
GRAB	NWR-338	142 Carroll Street	2021-10-24 11:47	-	-	13.5	<1	<1	6	0.13
GRAB	NWR-338	142 Carroll Street	2021-10-25 08:05	-	-	13.2	<1	<1	6	0.16
GRAB	NWR-338	142 Carroll Street	2021-10-28 13:12	-	-	13	<1	<1	10	0.14
GRAB	NWR-338	142 Carroll Street	2021-10-31 12:16	-	-	12.7	<1	<1	14	0.12
GRAB	NWR-338	142 Carroll Street	2021-11-01 08:04	-	-	12.1	<1	<1	10	0.14
GRAB	NWR-338	142 Carroll Street	2021-11-04 07:31	-	-	13	<1	<1	20	0.13
GRAB	NWR-338	142 Carroll Street	2021-11-09 08:09	-	-	11.4	<1	<1	8	0.17
GRAB	NWR-338	142 Carroll Street	2021-11-15 08:08	-	-	11.3	<1	<1	<2	0.18
GRAB	NWR-338	142 Carroll Street	2021-11-17 07:52	-	-	10.5	<1	<1	2	0.17
GRAB	NWR-338	142 Carroll Street	2021-11-22 08:14	-	-	9.9	<1	<1	6	0.22
GRAB	NWR-338	142 Carroll Street	2021-11-29 07:59	-	-	9.8	<1	<1	2	0.12
GRAB	NWR-338	142 Carroll Street	2021-12-01 08:28	-	-	10.1	<1	<1	2	0.16
GRAB	NWR-338	142 Carroll Street	2021-12-05 12:29	-	-	9.9	<1	<1	4	0.13
GRAB	NWR-338	142 Carroll Street	2021-12-07 08:10	-	-	9	<1	<1	4	0.16
GRAB	NWR-338	142 Carroll Street	2021-12-10 08:07	-	-	7.9	<1	<1	2	0.17
GRAB	NWR-338	142 Carroll Street	2021-12-14 08:21	-	-	8	<1	<1	<2	0.12
GRAB	NWR-338	142 Carroll Street	2021-12-22 08:04	-	-	7.2	<1	<1	NA	0.44
GRAB	NWR-339	332 Alberta Street	2021-01-05 08:47	-	-	7.5	<1	<1	<2	0.31
GRAB	NWR-339	332 Alberta Street	2021-01-15 08:23	-	-	6.3	<1	<1	<2	0.24

GRAB	NWR-339	332 Alberta Street	2021-01-20 08:16	-	-	6.9	<1	<1	<2	0.14
GRAB	NWR-339	332 Alberta Street	2021-01-27 07:20	-	-	5.9	<1	<1	<2	0.32
GRAB	NWR-339	332 Alberta Street	2021-01-29 11:33	-	-	5.8	<1	<1	<2	0.34
GRAB	NWR-339	332 Alberta Street	2021-02-03 09:14	-	-	5.8	<1	<1	<2	0.26
GRAB	NWR-339	332 Alberta Street	2021-02-04 11:35	-	-	5.6	<1	<1	<2	0.24
GRAB	NWR-339	332 Alberta Street	2021-02-06 07:00	-	-	6	<1	<1	<2	0.19
GRAB	NWR-339	332 Alberta Street	2021-02-10 07:57	-	-	5.5	<1	<1	<2	0.4
GRAB	NWR-339	332 Alberta Street	2021-02-12 08:12	-	-	4.7	<1	<1	<2	0.27
GRAB	NWR-339	332 Alberta Street	2021-02-14 07:33	-	-	5	<1	<1	<2	0.29
GRAB	NWR-339	332 Alberta Street	2021-02-17 08:17	-	-	4.9	<1	<1	2	0.33
GRAB	NWR-339	332 Alberta Street	2021-02-19 10:26	-	-	4.8	<1	<1	<2	0.24
GRAB	NWR-339	332 Alberta Street	2021-02-21 08:58	-	-	5.3	<1	<1	<2	0.25
GRAB	NWR-339	332 Alberta Street	2021-02-25 07:55	-	-	4.5	<1	<1	<2	0.18
GRAB	NWR-339	332 Alberta Street	2021-02-28 07:37	-	-	5.4	<1	<1	<2	0.3
GRAB	NWR-339	332 Alberta Street	2021-03-02 08:15	-	-	5.9	<1	<1	<2	0.33
GRAB	NWR-339	332 Alberta Street	2021-03-05 08:12	-	-	6	<1	<1	<2	0.29
GRAB	NWR-339	332 Alberta Street	2021-03-07 07:55	-	-	6.3	<1	<1	<2	0.26
GRAB	NWR-339	332 Alberta Street	2021-03-09 07:39	-	-	5.4	<1	<1	<2	0.26
GRAB	NWR-339	332 Alberta Street	2021-03-15 11:44	-	-	7	<1	<1	<2	0.5
GRAB	NWR-339	332 Alberta Street	2021-03-17 07:16	-	-	6.9	<1	<1	<2	0.28
GRAB	NWR-339	332 Alberta Street	2021-03-19 10:58	-	-	5.8	<1	<1	<2	0.29
GRAB	NWR-339	332 Alberta Street	2021-03-21 11:55	-	-	7	<1	<1	<2	0.26
GRAB	NWR-339	332 Alberta Street	2021-03-24 09:02	-	-	6.8	<1	<1	<2	0.25
GRAB	NWR-339	332 Alberta Street	2021-03-29 07:29	-	-	7.6	<1	<1	<2	0.24
GRAB	NWR-339	332 Alberta Street	2021-04-08 07:21	-	-	8	<1	<1	<2	0.24
GRAB	NWR-339	332 Alberta Street	2021-04-12 07:20	-	-	4.8	<1	<1	<2	0.24
GRAB	NWR-339	332 Alberta Street	2021-04-14 07:26	-	-	8	<1	<1	<2	0.27
GRAB	NWR-339	332 Alberta Street	2021-04-15 07:13	-	-	7.1	<1	<1	<2	0.23
GRAB	NWR-339	332 Alberta Street	2021-04-21 08:40	-	-	10.4	<1	<1	<2	0.24
GRAB	NWR-339	332 Alberta Street	2021-04-22 07:58	-	-	9.8	<1	<1	<2	0.26
GRAB	NWR-339	332 Alberta Street	2021-04-27 12:37	-	-	10.5	<1	<1	<2	0.37
GRAB	NWR-339	332 Alberta Street	2021-04-28 11:41	-	-	10	<1	<1	<2	0.37

GRAB	NWR-339	332 Alberta Street	2021-05-03 07:22	-	-	11.1	<1	<1	<2	0.25
GRAB	NWR-339	332 Alberta Street	2021-05-11 09:12	-	-	12	<1	<1	<2	0.35
GRAB	NWR-339	332 Alberta Street	2021-05-12 07:26	-	-	8.9	<1	<1	<2	0.33
GRAB	NWR-339	332 Alberta Street	2021-05-14 10:56	-	-	10.7	<1	<1	<2	0.37
GRAB	NWR-339	332 Alberta Street	2021-05-18 08:33	-	-	12	<1	<1	<2	0.32
GRAB	NWR-339	332 Alberta Street	2021-05-20 07:18	-	-	11.2	<1	<1	<2	0.28
GRAB	NWR-339	332 Alberta Street	2021-05-21 08:58	-	-	9.8	<1	<1	<2	0.31
GRAB	NWR-339	332 Alberta Street	2021-05-26 08:53	-	-	12.7	<1	<1	<2	0.28
GRAB	NWR-339	332 Alberta Street	2021-06-01 08:26	-	-	12.7	<1	<1	<2	0.32
GRAB	NWR-339	332 Alberta Street	2021-06-02 11:43	-	-	12.8	<1	<1	2	0.59
GRAB	NWR-339	332 Alberta Street	2021-06-03 12:54	-	-	13.2	<1	<1	<2	0.33
GRAB	NWR-339	332 Alberta Street	2021-06-04 12:28	-	-	12.5	<1	<1	<2	0.37
GRAB	NWR-339	332 Alberta Street	2021-06-08 07:53	-	-	13.1	<1	<1	<2	0.27
GRAB	NWR-339	332 Alberta Street	2021-06-15 07:54	-	-	13.3	<1	<1	<2	0.27
GRAB	NWR-339	332 Alberta Street	2021-06-17 11:13	-	-	13	<1	<1	<2	0.22
GRAB	NWR-339	332 Alberta Street	2021-06-18 08:08	-	-	13.4	<1	<1	30	0.2
GRAB	NWR-339	332 Alberta Street	2021-06-22 07:30	-	-	13.9	<1	<1	<2	0.3
GRAB	NWR-339	332 Alberta Street	2021-07-02 08:04	-	-	12.2	<1	<1	18	0.23
GRAB	NWR-339	332 Alberta Street	2021-07-05 08:32	-	-	16.7	<1	<1	<2	0.25
GRAB	NWR-339	332 Alberta Street	2021-07-08 07:25	-	-	12	<1	<1	<2	0.37
GRAB	NWR-339	332 Alberta Street	2021-07-15 09:17	-	-	15.7	<1	<1	<2	0.24
GRAB	NWR-339	332 Alberta Street	2021-07-16 07:34	-	-	12.9	<1	<1	<2	0.26
GRAB	NWR-339	332 Alberta Street	2021-07-20 07:38	-	-	16.6	<1	<1	<2	0.23
GRAB	NWR-339	332 Alberta Street	2021-07-26 09:41	-	-	16.7	<1	<1	<2	0.26
GRAB	NWR-339	332 Alberta Street	2021-07-28 11:14	-	-	16.5	<1	<1	<2	0.39
GRAB	NWR-339	332 Alberta Street	2021-08-04 08:45	-	-	18.4	<1	<1	12	0.28
GRAB	NWR-339	332 Alberta Street	2021-08-05 10:54	-	-	15.9	<1	<1	<2	0.22
GRAB	NWR-339	332 Alberta Street	2021-08-12 08:45	-	-	18.5	<1	<1	2	0.24
GRAB	NWR-339	332 Alberta Street	2021-08-20 10:17	-	-	18.5	<1	<1	6	0.29
GRAB	NWR-339	332 Alberta Street	2021-08-22 09:44	-	-	18	<1	<1	2	0.22
GRAB	NWR-339	332 Alberta Street	2021-08-30 08:42	-	-	16.1	<1	<1	<2	0.24
GRAB	NWR-339	332 Alberta Street	2021-08-31 07:15	-	-	17.4	<1	<1	<2	0.3

GRAB	NWR-339	332 Alberta Street	2021-09-02 13:23	-	-	16.3	<1	<1	10	0.25
GRAB	NWR-339	332 Alberta Street	2021-09-03 07:59	-	-	15.8	<1	<1	10	0.23
GRAB	NWR-339	332 Alberta Street	2021-09-08 09:20	-	-	18.1	<1	<1	2	0.36
GRAB	NWR-339	332 Alberta Street	2021-09-14 07:37	-	-	18	<1	<1	<2	0.32
GRAB	NWR-339	332 Alberta Street	2021-09-17 10:53	-	-	15.5	<1	<1	2	0.31
GRAB	NWR-339	332 Alberta Street	2021-09-21 07:15	-	-	16.6	<1	<1	<2	0.54
GRAB	NWR-339	332 Alberta Street	2021-09-24 08:24	-	-	14.1	<1	<1	<2	0.41
GRAB	NWR-339	332 Alberta Street	2021-09-27 07:32	-	-	16.4	<1	<1	<2	0.43
GRAB	NWR-339	332 Alberta Street	2021-09-29 07:30	-	-	14.4	<1	<1	<2	0.37
GRAB	NWR-339	332 Alberta Street	2021-10-05 07:36	-	-	15.4	<1	<1	8	0.29
GRAB	NWR-339	332 Alberta Street	2021-10-07 11:12	-	-	14.9	<1	<1	4	0.35
GRAB	NWR-339	332 Alberta Street	2021-10-19 07:31	-	-	13.4	<1	<1	100	0.33
GRAB	NWR-339	332 Alberta Street	2021-10-21 07:53	-	-	13.2	<1	<1	120	0.3
GRAB	NWR-339	332 Alberta Street	2021-10-24 11:36	-	-	13	<1	<1	230	0.25
GRAB	NWR-339	332 Alberta Street	2021-10-25 07:52	-	-	13	<1	<1	160	0.28
GRAB	NWR-339	332 Alberta Street	2021-10-27 12:52	-	-	13.4	<1	<1	180	0.33
GRAB	NWR-339	332 Alberta Street	2021-10-28 13:30	-	-	11.3	<1	<1	160	0.3
GRAB	NWR-339	332 Alberta Street	2021-10-31 12:05	-	-	12.1	<1	<1	220	0.25
GRAB	NWR-339	332 Alberta Street	2021-11-01 07:55	-	-	11.9	<1	<1	270	0.26
GRAB	NWR-339	332 Alberta Street	2021-11-04 07:22	-	-	12.4	<1	<1	540	0.24
GRAB	NWR-339	332 Alberta Street	2021-11-05 08:25	-	-	11.6	<1	<1	280	0.26
GRAB	NWR-339	332 Alberta Street	2021-11-09 07:56	-	-	10.6	<1	<1	930	0.2
GRAB	NWR-339	332 Alberta Street	2021-11-15 07:54	-	-	10.4	<1	<1	10	0.23
GRAB	NWR-339	332 Alberta Street	2021-11-17 07:38	-	-	10	<1	<1	32	0.27
GRAB	NWR-339	332 Alberta Street	2021-11-22 08:06	-	-	9.1	<1	<1	2	0.32
GRAB	NWR-339	332 Alberta Street	2021-11-29 07:49	-	-	9.1	<1	<1	<2	0.4
GRAB	NWR-339	332 Alberta Street	2021-12-01 08:18	-	-	9.4	<1	<1	10	0.35
GRAB	NWR-339	332 Alberta Street	2021-12-05 12:20	-	-	8.8	<1	<1	6	0.28
GRAB	NWR-339	332 Alberta Street	2021-12-07 08:01	-	-	8.3	<1	<1	2	0.33
GRAB	NWR-339	332 Alberta Street	2021-12-10 07:56	-	-	7.7	<1	<1	2	0.31
GRAB	NWR-339	332 Alberta Street	2021-12-14 08:08	-	-	7.8	<1	<1	4	0.22
GRAB	NWR-339	332 Alberta Street	2021-12-22 07:54	-	-	6.6	<1	<1	NA	0.53

GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-01-05 09:10	-	-	6.9	<1	<1	<2	0.17
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-01-15 08:39	-	-	6.5	<1	<1	<2	0.13
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-01-20 08:40	-	-	6.7	<1	<1	<2	0.13
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-01-27 07:32	-	-	5.8	<1	<1	<2	0.29
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-01-29 11:44	-	-	6	<1	<1	<2	0.31
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-02-03 10:08	-	-	5.7	<1	<1	<2	0.17
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-02-04 11:45	-	-	5.7	<1	<1	<2	0.12
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-02-06 07:19	-	-	5.9	<1	<1	<2	0.12
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-02-14 07:46	-	-	5.1	<1	<1	<2	0.32
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-02-17 08:33	-	-	5	<1	<1	<2	0.25
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-02-19 10:38	-	-	5.8	<1	<1	<2	0.16
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-02-21 09:23	-	-	4.9	<1	<1	<2	0.16
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-02-25 08:08	-	-	4.8	<1	<1	<2	0.14
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-02-28 09:12	-	-	5.2	<1	<1	<2	0.27
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-03-02 08:49	-	-	5.5	<1	<1	<2	0.41
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-03-05 08:34	-	-	5.2	<1	<1	<2	0.3
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-03-07 08:37	-	-	5.2	<1	<1	<2	0.13
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-03-09 07:59	-	-	6.5	<1	<1	<2	0.16
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-03-15 11:55	-	-	6.8	<1	<1	<2	0.8
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-03-17 07:28	-	-	6.5	<1	<1	<2	0.28
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-03-19 11:22	-	-	6.2	<1	<1	<2	0.3
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-03-21 12:37	-	-	7	<1	<1	<2	0.12
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-03-24 09:23	-	-	6.3	<1	<1	<2	0.14
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-03-29 07:44	-	-	7	<1	<1	<2	0.21
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-04-08 07:34	-	-	7.6	<1	<1	<2	0.16
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-04-12 07:31	-	-	5.1	<1	<1	<2	0.24
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-04-14 07:37	-	-	7.8	<1	<1	<2	0.16
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-04-15 07:25	-	-	7.4	<1	<1	<2	0.16
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-04-21 09:48	-	-	7.5	<1	<1	<2	0.19
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-04-22 07:15	-	-	9.1	<1	<1	<2	0.27
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-04-27 12:50	-	-	9.6	<1	<1	<2	0.28
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-04-28 11:52	-	-	9.7	<1	<1	<2	0.11

GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-04-29 07:23	-	-	9	<1	<1	<2	0.18
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-05-03 07:35	-	-	9.6	<1	<1	<2	0.27
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-05-11 09:49	-	-	10	<1	<1	<2	0.26
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-05-12 07:39	-	-	9	<1	<1	<2	0.36
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-05-14 11:14	-	-	9.7	<1	<1	<2	0.28
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-05-18 09:33	-	-	10.3	<1	<1	<2	0.33
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-05-20 07:33	-	-	10.5	<1	<1	<2	0.24
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-05-26 09:10	-	-	10.2	<1	<1	<2	0.34
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-06-01 08:53	-	-	12.2	<1	<1	<2	0.35
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-06-02 11:54	-	-	13.1	<1	<1	<2	0.41
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-06-08 08:06	-	-	11.6	<1	<1	<2	0.14
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-06-15 09:16	-	-	11.1	<1	<1	<2	0.16
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-06-17 13:07	-	-	12.9	<1	<1	<2	0.25
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-06-18 08:36	-	-	11.1	<1	<1	<2	0.12
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-06-22 07:42	-	-	13.1	<1	<1	<2	0.21
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-07-02 08:18	-	-	12.1	<1	<1	<2	0.19
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-07-05 09:18	-	-	14	<1	<1	<2	0.09
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-07-15 09:45	-	-	14.5	<1	<1	<2	0.45
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-07-16 07:51	-	-	12.5	<1	<1	<2	0.24
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-07-20 08:04	-	-	15.2	<1	<1	<2	0.21
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-07-26 10:29	-	-	15	<1	<1	<2	0.3
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-07-28 11:46	-	-	16.1	<1	<1	<2	0.27
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-08-04 09:37	-	-	16.8	<1	<1	<2	0.22
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-08-05 11:10	-	-	17.2	<1	<1	<2	0.23
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-08-12 09:37	-	-	17.7	<1	<1	<2	0.36
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-08-20 10:29	-	-	17.7	<1	<1	<2	0.25
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-08-22 10:32	-	-	17.4	<1	<1	10	0.25
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-08-30 09:34	-	-	14.8	<1	<1	<2	0.24
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-08-31 07:33	-	-	15.8	<1	<1	2	0.3
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-09-02 13:35	-	-	15.8	<1	<1	4	0.21
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-09-03 08:07	-	-	15.8	<1	<1	<2	0.22
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-09-08 09:42	-	-	16.5	<1	<1	<2	0.3

GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-09-14 07:52	-	-	17.1	<1	<1	<2	0.3
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-09-17 11:06	-	-	14.9	<1	<1	<2	0.26
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-09-21 07:25	-	-	15.7	<1	<1	<2	0.25
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-09-24 08:44	-	-	13.9	<1	<1	<2	0.37
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-09-27 07:44	-	-	15.7	<1	<1	2	0.23
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-09-29 07:44	-	-	15.2	<1	<1	<2	0.12
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-10-05 07:49	-	-	14.1	<1	<1	<2	0.2
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-10-07 11:30	-	-	12.6	<1	<1	<2	0.2
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-10-19 07:47	-	-	12.6	<1	<1	12	0.12
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-10-21 08:16	-	-	12	<1	<1	<2	0.23
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-10-24 11:58	-	-	12	<1	<1	4	0.22
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-10-25 08:16	-	-	12	<1	<1	<2	0.16
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-10-26 12:46	-	-	11.9	<1	<1	6	0.16
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-10-27 11:17	-	-	12.2	<1	<1	2	0.15
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-10-31 12:26	-	-	10.6	<1	<1	<2	0.11
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-11-01 08:17	-	-	11	<1	<1	<2	0.14
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-11-04 07:42	-	-	12.3	<1	<1	<2	0.12
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-11-07 13:29	-	-	10	<1	<1	36	0.2
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-11-09 08:20	-	-	10.4	<1	<1	<2	0.28
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-11-15 08:22	-	-	10	<1	<1	<2	0.11
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-11-17 08:01	-	-	9.4	<1	<1	<2	0.13
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-11-22 08:26	-	-	8.5	<1	<1	<2	0.16
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-11-29 08:12	-	-	8.4	<1	<1	4	0.12
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-12-01 08:41	-	-	8.7	<1	<1	<2	0.27
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-12-05 12:40	-	-	8.1	<1	<1	2	0.11
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-12-07 08:23	-	-	7.5	<1	<1	<2	0.17
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-12-10 08:21	-	-	7.3	<1	<1	<2	0.12
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-12-14 08:44	-	-	7.4	<1	<1	<2	0.11
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-12-17 10:17	-	-	7.3	<1	<1	<2	0.12
GRAB	NWR-340	7th Ave. btw Colborne & Park Cres.	2021-12-22 08:13	-	-	6.5	<1	<1	NA	0.51
GRAB	NWR-341	8th St. north of Royal	2021-01-05 11:12	-	-	7.2	<1	<1	<2	0.24
GRAB	NWR-341	8th St. north of Royal	2021-01-15 09:18	-	-	6.4	<1	<1	<2	0.88

GRAB	NWR-341	8th St. north of Royal	2021-01-20 09:21	-	-	7	<1	<1	<2	0.11
GRAB	NWR-341	8th St. north of Royal	2021-01-27 08:49	-	-	5.9	<1	<1	<2	0.36
GRAB	NWR-341	8th St. north of Royal	2021-01-29 13:21	-	-	5.9	<1	<1	2	0.44
GRAB	NWR-341	8th St. north of Royal	2021-02-03 12:30	-	-	6.1	<1	<1	<2	0.21
GRAB	NWR-341	8th St. north of Royal	2021-02-06 11:20	-	-	5.6	<1	<1	<2	0.13
GRAB	NWR-341	8th St. north of Royal	2021-02-10 10:22	-	-	5.6	<1	<1	<2	0.55
GRAB	NWR-341	8th St. north of Royal	2021-02-12 08:54	-	-	4.8	<1	<1	<2	0.29
GRAB	NWR-341	8th St. north of Royal	2021-02-14 09:23	-	-	5.1	<1	<1	<2	0.31
GRAB	NWR-341	8th St. north of Royal	2021-02-17 09:12	-	-	4.9	<1	<1	<2	0.29
GRAB	NWR-341	8th St. north of Royal	2021-02-19 11:26	-	-	5.6	<1	<1	2	0.12
GRAB	NWR-341	8th St. north of Royal	2021-02-21 11:37	-	-	4.8	<1	<1	<2	0.23
GRAB	NWR-341	8th St. north of Royal	2021-02-25 08:46	-	-	4.7	<1	<1	<2	0.12
GRAB	NWR-341	8th St. north of Royal	2021-02-28 12:10	-	-	5.3	<1	<1	<2	0.52
GRAB	NWR-341	8th St. north of Royal	2021-03-02 11:56	-	-	5.7	<1	<1	<2	0.54
GRAB	NWR-341	8th St. north of Royal	2021-03-05 09:20	-	-	5.4	<1	<1	<2	0.34
GRAB	NWR-341	8th St. north of Royal	2021-03-07 11:32	-	-	5.5	<1	<1	<2	0.19
GRAB	NWR-341	8th St. north of Royal	2021-03-09 08:37	-	-	6	<1	<1	<2	0.17
GRAB	NWR-341	8th St. north of Royal	2021-03-17 08:35	-	-	6.4	<1	<1	<2	0.36
GRAB	NWR-341	8th St. north of Royal	2021-03-24 11:32	-	-	6.3	<1	<1	<2	0.12
GRAB	NWR-341	8th St. north of Royal	2021-03-29 08:55	-	-	6.5	<1	<1	<2	0.15
GRAB	NWR-341	8th St. north of Royal	2021-04-08 08:41	-	-	7.2	<1	<1	<2	0.13
GRAB	NWR-341	8th St. north of Royal	2021-04-14 08:37	-	-	7.4	<1	<1	<2	0.15
GRAB	NWR-341	8th St. north of Royal	2021-04-15 07:45	-	-	7.2	<1	<1	2	0.18
GRAB	NWR-341	8th St. north of Royal	2021-04-21 11:44	-	-	6.5	<1	<1	<2	0.24
GRAB	NWR-341	8th St. north of Royal	2021-04-22 08:57	-	-	9.1	<1	<1	<2	0.24
GRAB	NWR-341	8th St. north of Royal	2021-04-29 08:08	-	-	8.1	<1	<1	2	0.16
GRAB	NWR-341	8th St. north of Royal	2021-05-03 08:41	-	-	9.9	<1	<1	<2	0.34
GRAB	NWR-341	8th St. north of Royal	2021-05-11 11:44	-	-	10	<1	<1	<2	0.37
GRAB	NWR-341	8th St. north of Royal	2021-05-12 08:17	-	-	9.1	<1	<1	<2	0.3
GRAB	NWR-341	8th St. north of Royal	2021-05-18 11:47	-	-	9.1	<1	<1	<2	0.34
GRAB	NWR-341	8th St. north of Royal	2021-05-26 10:39	-	-	12.5	1	<1	<2	0.31
GRAB	NWR-341	8th St. north of Royal	2021-06-01 11:00	-	-	12	<1	<1	2	0.51

GRAB	NWR-341	8th St. north of Royal	2021-06-02 12:29	-	-	12.8	<1	<1	<2	0.37
GRAB	NWR-341	8th St. north of Royal	2021-06-04 12:53	-	-	11.9	<1	<1	<2	0.28
GRAB	NWR-341	8th St. north of Royal	2021-06-08 09:21	-	-	12.6	<1	<1	2	0.13
GRAB	NWR-341	8th St. north of Royal	2021-06-15 11:04	-	-	13.1	<1	<1	<2	0.2
GRAB	NWR-341	8th St. north of Royal	2021-06-22 08:47	-	-	13.1	<1	<1	<2	0.31
GRAB	NWR-341	8th St. north of Royal	2021-07-02 09:01	-	-	12.7	<1	<1	<2	0.12
GRAB	NWR-341	8th St. north of Royal	2021-07-05 10:37	-	-	15.1	<1	<1	<2	0.15
GRAB	NWR-341	8th St. north of Royal	2021-07-08 08:12	-	-	12.2	<1	<1	<2	0.32
GRAB	NWR-341	8th St. north of Royal	2021-07-15 11:35	-	-	13.2	<1	<1	<2	0.34
GRAB	NWR-341	8th St. north of Royal	2021-07-16 08:19	-	-	13.1	<1	<1	<2	0.29
GRAB	NWR-341	8th St. north of Royal	2021-07-20 09:13	-	-	15.3	<1	<1	<2	0.22
GRAB	NWR-341	8th St. north of Royal	2021-07-26 12:20	-	-	15.5	<1	<1	<2	0.39
GRAB	NWR-341	8th St. north of Royal	2021-07-28 13:41	-	-	16.1	<1	<1	<2	0.32
GRAB	NWR-341	8th St. north of Royal	2021-07-30 11:50	-	-	17.3	<1	<1	<2	0.54
GRAB	NWR-341	8th St. north of Royal	2021-08-04 12:12	-	-	18.1	<1	<1	<2	0.38
GRAB	NWR-341	8th St. north of Royal	2021-08-12 11:33	-	-	18.6	<1	<1	6	0.31
GRAB	NWR-341	8th St. north of Royal	2021-08-20 11:30	-	-	17.8	<1	<1	<2	0.36
GRAB	NWR-341	8th St. north of Royal	2021-08-22 13:08	-	-	17.8	<1	<1	<2	0.71
GRAB	NWR-341	8th St. north of Royal	2021-08-30 11:29	-	-	16.4	<1	<1	<2	0.33
GRAB	NWR-341	8th St. north of Royal	2021-08-31 08:07	-	-	15.8	<1	<1	<2	0.28
GRAB	NWR-341	8th St. north of Royal	2021-09-03 08:52	-	-	15.5	<1	<1	<2	0.25
GRAB	NWR-341	8th St. north of Royal	2021-09-08 10:53	-	-	18	<1	<1	10	0.59
GRAB	NWR-341	8th St. north of Royal	2021-09-14 09:06	-	-	17.3	<1	<1	<2	0.26
GRAB	NWR-341	8th St. north of Royal	2021-09-17 12:14	-	-	13.9	<1	<1	6	0.38
GRAB	NWR-341	8th St. north of Royal	2021-09-21 09:18	-	-	15.8	<1	<1	2	0.15
GRAB	NWR-341	8th St. north of Royal	2021-09-24 09:26	-	-	14	<1	<1	<2	0.41
GRAB	NWR-341	8th St. north of Royal	2021-09-27 08:49	-	-	16.1	<1	<1	2	0.17
GRAB	NWR-341	8th St. north of Royal	2021-10-05 08:55	-	-	15.2	<1	<1	<2	0.15
GRAB	NWR-341	8th St. north of Royal	2021-10-08 11:50	-	-	14.2	<1	<1	4	0.15
GRAB	NWR-341	8th St. north of Royal	2021-10-18 09:24	-	-	12.9	<1	<1	8	0.14
GRAB	NWR-341	8th St. north of Royal	2021-10-19 09:08	-	-	13.8	<1	<1	52	0.18
GRAB	NWR-341	8th St. north of Royal	2021-10-21 09:59	-	-	13.5	<1	<1	24	0.25

GRAB	NWR-341	8th St. north of Royal	2021-10-25 10:49	-	-	13.2	<1	<1	8	0.18
GRAB	NWR-341	8th St. north of Royal	2021-10-27 12:26	-	-	14.1	<1	<1	2	0.17
GRAB	NWR-341	8th St. north of Royal	2021-10-31 13:54	-	-	11.3	<1	<1	2	0.11
GRAB	NWR-341	8th St. north of Royal	2021-11-01 09:55	-	-	12.4	<1	<1	2	0.2
GRAB	NWR-341	8th St. north of Royal	2021-11-05 09:11	-	-	12.5	<1	<1	8	0.14
GRAB	NWR-341	8th St. north of Royal	2021-11-07 12:50	-	-	10.1	<1	<1	2	0.12
GRAB	NWR-341	8th St. north of Royal	2021-11-09 10:13	-	-	11.5	<1	<1	2	0.15
GRAB	NWR-341	8th St. north of Royal	2021-11-15 10:11	-	-	11.7	<1	<1	12	0.17
GRAB	NWR-341	8th St. north of Royal	2021-11-17 09:19	-	-	10.2	<1	<1	2	0.14
GRAB	NWR-341	8th St. north of Royal	2021-11-22 10:05	-	-	10.3	<1	<1	12	0.27
GRAB	NWR-341	8th St. north of Royal	2021-11-29 09:48	-	-	10.2	<1	<1	10	0.13
GRAB	NWR-341	8th St. north of Royal	2021-12-01 11:52	-	-	10.6	<1	<1	2	0.13
GRAB	NWR-341	8th St. north of Royal	2021-12-05 13:49	-	-	8.4	<1	<1	4	0.15
GRAB	NWR-341	8th St. north of Royal	2021-12-07 10:04	-	-	9.3	<1	<1	<2	0.16
GRAB	NWR-341	8th St. north of Royal	2021-12-14 10:39	-	-	8.7	<1	<1	<2	0.13
GRAB	NWR-341	8th St. north of Royal	2021-12-22 09:44	-	-	7.5	<1	<1	NA	0.49
GRAB	NWR-341	8th St. north of Royal	2021-12-29 11:18	-	-	6	<1	<1	NA	0.55
GRAB	NWR-341	8th St. north of Royal	2021-12-31 10:38	-	-	4.9	<1	<1	NA	0.48
GRAB	NWR-342	Salter & Carter	2021-01-06 07:33	-	-	6.7	<1	<1	<2	0.36
GRAB	NWR-342	Salter & Carter	2021-01-13 07:39	-	-	7.7	<1	<1	<2	0.29
GRAB	NWR-342	Salter & Carter	2021-01-21 08:04	-	-	6.6	<1	<1	<2	0.35
GRAB	NWR-342	Salter & Carter	2021-01-27 07:49	-	-	5	<1	<1	<2	0.33
GRAB	NWR-342	Salter & Carter	2021-02-03 07:25	-	-	5.4	<1	<1	<2	0.31
GRAB	NWR-342	Salter & Carter	2021-02-10 07:35	-	-	5.8	<1	<1	<2	0.34
GRAB	NWR-342	Salter & Carter	2021-02-12 09:40	-	-	5	<1	<1	<2	0.29
GRAB	NWR-342	Salter & Carter	2021-02-18 07:27	-	-	5.2	<1	<1	<2	0.28
GRAB	NWR-342	Salter & Carter	2021-02-19 12:36	-	-	4.9	<1	<1	<2	0.34
GRAB	NWR-342	Salter & Carter	2021-02-24 07:36	-	-	5.8	<1	<1	<2	0.5
GRAB	NWR-342	Salter & Carter	2021-03-04 07:37	-	-	6.3	<1	<1	<2	0.36
GRAB	NWR-342	Salter & Carter	2021-03-05 11:20	-	-	5.9	<1	<1	<2	1
GRAB	NWR-342	Salter & Carter	2021-03-09 07:27	-	-	6.7	<1	<1	<2	0.31
GRAB	NWR-342	Salter & Carter	2021-03-16 07:28	-	-	7.2	<1	<1	<2	0.26

GRAB	NWR-342	Salter & Carter	2021-03-23 07:33	-	-	7.3	<1	<1	<2	0.3
GRAB	NWR-342	Salter & Carter	2021-03-30 07:32	-	-	7.7	<1	<1	<2	0.38
GRAB	NWR-342	Salter & Carter	2021-04-09 07:29	-	-	8	<1	<1	<2	0.27
GRAB	NWR-342	Salter & Carter	2021-04-15 07:39	-	-	9	<1	<1	<2	0.3
GRAB	NWR-342	Salter & Carter	2021-04-20 07:07	-	-	10.5	<1	<1	<2	0.27
GRAB	NWR-342	Salter & Carter	2021-04-29 07:42	<1	<1	11.3	-	-	570	13
GRAB	NWR-342	Salter & Carter	2021-04-30 07:26	-	-	11.6	<1	<1	<2	0.2
GRAB	NWR-342	Salter & Carter	2021-05-06 07:38	-	-	9.8	<1	<1	<2	0.32
GRAB	NWR-342	Salter & Carter	2021-05-13 07:26	-	-	12.3	<1	<1	2	0.32
GRAB	NWR-342	Salter & Carter	2021-05-19 07:36	-	-	12.9	<1	<1	<2	0.33
GRAB	NWR-342	Salter & Carter	2021-05-27 06:55	-	-	12.9	<1	<1	<2	0.28
GRAB	NWR-342	Salter & Carter	2021-06-02 07:44	-	-	14	<1	<1	<2	0.32
GRAB	NWR-342	Salter & Carter	2021-06-09 07:26	-	-	13.4	<1	<1	<2	0.23
GRAB	NWR-342	Salter & Carter	2021-06-16 07:27	-	-	14.2	<1	<1	<2	0.23
GRAB	NWR-342	Salter & Carter	2021-06-24 07:26	-	-	16.2	<1	<1	<2	0.19
GRAB	NWR-342	Salter & Carter	2021-06-29 07:25	-	-	17.7	<1	<1	<2	0.25
GRAB	NWR-342	Salter & Carter	2021-07-07 07:30	-	-	17.5	<1	<1	<2	0.26
GRAB	NWR-342	Salter & Carter	2021-07-12 07:26	-	-	17.5	<1	<1	<2	0.21
GRAB	NWR-342	Salter & Carter	2021-07-16 09:02	-	-	14.3	<1	<1	<2	0.34
GRAB	NWR-342	Salter & Carter	2021-07-22 07:27	-	-	17.7	<1	<1	<2	0.32
GRAB	NWR-342	Salter & Carter	2021-07-27 07:41	-	-	18.7	<1	<1	<2	0.25
GRAB	NWR-342	Salter & Carter	2021-08-03 07:31	-	-	19.4	<1	<1	2	0.36
GRAB	NWR-342	Salter & Carter	2021-08-11 07:26	-	-	19.4	<1	<1	<2	0.21
GRAB	NWR-342	Salter & Carter	2021-08-18 07:31	-	-	19.3	<1	<1	<2	0.21
GRAB	NWR-342	Salter & Carter	2021-08-25 07:53	-	-	18.7	<1	<1	2	0.45
GRAB	NWR-342	Salter & Carter	2021-08-31 09:46	-	-	16.1	<1	<1	2	0.22
GRAB	NWR-342	Salter & Carter	2021-09-01 07:36	-	-	14.9	<1	<1	<2	0.18
GRAB	NWR-342	Salter & Carter	2021-09-10 08:14	-	-	17.7	<1	<1	2	0.3
GRAB	NWR-342	Salter & Carter	2021-09-15 07:34	-	-	18	<1	<1	<2	0.28
GRAB	NWR-342	Salter & Carter	2021-09-21 07:32	-	-	16.5	<1	<1	<2	0.48
GRAB	NWR-342	Salter & Carter	2021-09-24 11:02	-	-	13.9	<1	<1	<2	0.49
GRAB	NWR-342	Salter & Carter	2021-09-29 07:29	-	-	15.4	<1	<1	<2	0.35

GRAB	NWR-342	Salter & Carter	2021-10-05 08:02	-	-	13.8	<1	<1	<2	0.52
GRAB	NWR-342	Salter & Carter	2021-10-15 07:33	-	-	12.9	<1	<1	<2	0.44
GRAB	NWR-342	Salter & Carter	2021-10-22 06:23	-	-	13	<1	<1	<2	0.42
GRAB	NWR-342	Salter & Carter	2021-10-28 07:25	-	-	11.2	<1	<1	<2	0.42
GRAB	NWR-342	Salter & Carter	2021-11-02 07:29	-	-	10.9	<1	<1	<2	0.48
GRAB	NWR-342	Salter & Carter	2021-11-04 10:34	-	-	13.4	<1	<1	<2	0.4
GRAB	NWR-342	Salter & Carter	2021-11-10 07:28	-	-	9.7	<1	<1	<2	0.41
GRAB	NWR-342	Salter & Carter	2021-11-18 07:23	-	-	8.8	<1	<1	<2	1.3
GRAB	NWR-342	Salter & Carter	2021-11-22 07:38	-	-	8.6	<1	<1	<2	0.85
GRAB	NWR-342	Salter & Carter	2021-12-02 07:26	-	-	8.8	<1	<1	<2	0.88
GRAB	NWR-342	Salter & Carter	2021-12-09 07:47	-	-	8.8	<1	<1	<2	0.79
GRAB	NWR-342	Salter & Carter	2021-12-15 07:29	-	-	6.3	<1	<1	<2	0.54
GRAB	NWR-342	Salter & Carter	2021-12-23 07:33	-	-	5.5	<1	<1	NA	0.5
GRAB	NWR-343	250 Francis Way	2021-02-25 08:34	-	-	4.6	<1	<1	<2	0.42
GRAB	NWR-343	250 Francis Way	2021-03-02 09:20	-	-	5.3	<1	<1	<2	0.49
GRAB	NWR-343	250 Francis Way	2021-03-05 09:10	-	-	5.8	<1	<1	<2	0.38
GRAB	NWR-343	250 Francis Way	2021-03-09 08:27	-	-	5.3	<1	<1	<2	0.37
GRAB	NWR-343	250 Francis Way	2021-03-15 12:31	-	-	5.9	<1	<1	<2	0.32
GRAB	NWR-343	250 Francis Way	2021-03-17 08:59	-	-	5.8	<1	<1	<2	0.3
GRAB	NWR-343	250 Francis Way	2021-03-19 12:10	-	-	5.5	<1	<1	<2	0.29
GRAB	NWR-343	250 Francis Way	2021-03-21 12:16	-	-	5.8	<1	<1	<2	0.33
GRAB	NWR-343	250 Francis Way	2021-03-29 09:18	-	-	6.3	<1	<1	<2	0.39
GRAB	NWR-343	250 Francis Way	2021-04-08 09:03	-	-	6.1	<1	<1	<2	0.27
GRAB	NWR-343	250 Francis Way	2021-04-12 07:54	-	-	5.3	<1	<1	<2	0.32
GRAB	NWR-343	250 Francis Way	2021-04-14 09:00	-	-	7.3	<1	<1	<2	0.28
GRAB	NWR-343	250 Francis Way	2021-04-21 09:17	-	-	9.5	<1	<1	<2	0.29
GRAB	NWR-343	250 Francis Way	2021-04-22 07:34	-	-	7.3	<1	<1	<2	0.3
GRAB	NWR-343	250 Francis Way	2021-04-29 07:59	-	-	8.3	<1	<1	<2	0.33
GRAB	NWR-343	250 Francis Way	2021-05-03 09:04	-	-	7.8	<1	<1	<2	0.3
GRAB	NWR-343	250 Francis Way	2021-05-11 09:41	-	-	8	<1	<1	<2	0.27
GRAB	NWR-343	250 Francis Way	2021-05-12 08:08	-	-	8.6	<1	<1	<2	0.32
GRAB	NWR-343	250 Francis Way	2021-05-14 11:51	-	-	9.3	<1	<1	<2	0.34

GRAB	NWR-343	250 Francis Way	2021-05-18 09:15	-	-	8	<1	<1	LA	0.34
GRAB	NWR-343	250 Francis Way	2021-05-26 14:06	-	-	9.9	<1	<1	<2	0.3
GRAB	NWR-343	250 Francis Way	2021-06-01 14:01	-	-	11.6	<1	<1	<2	0.59
GRAB	NWR-343	250 Francis Way	2021-06-02 12:16	-	-	10.3	<1	<1	<2	0.33
GRAB	NWR-343	250 Francis Way	2021-06-08 09:43	-	-	9.6	<1	<1	<2	0.28
GRAB	NWR-343	250 Francis Way	2021-06-15 08:51	-	-	9.5	<1	<1	<2	0.25
GRAB	NWR-343	250 Francis Way	2021-06-18 09:04	-	-	10.2	<1	<1	<2	0.27
GRAB	NWR-343	250 Francis Way	2021-06-22 09:14	-	-	11	<1	<1	<2	0.23
GRAB	NWR-343	250 Francis Way	2021-07-02 08:52	-	-	10.9	<1	<1	<2	0.25
GRAB	NWR-343	250 Francis Way	2021-07-05 09:09	-	-	11.4	<1	<1	<2	0.23
GRAB	NWR-343	250 Francis Way	2021-07-08 08:03	-	-	11.1	<1	<1	<2	0.27
GRAB	NWR-343	250 Francis Way	2021-07-09 13:23	-	-	12.1	<1	<1	<2	0.21
GRAB	NWR-343	250 Francis Way	2021-07-15 09:36	-	-	13.3	<1	<1	<2	0.35
GRAB	NWR-343	250 Francis Way	2021-07-20 09:39	-	-	13.5	<1	<1	<2	0.24
GRAB	NWR-343	250 Francis Way	2021-07-26 10:20	-	-	14.2	<1	<1	<2	0.35
GRAB	NWR-343	250 Francis Way	2021-07-28 11:33	-	-	14.7	<1	<1	<2	1
GRAB	NWR-343	250 Francis Way	2021-07-30 12:07	-	-	15.7	<1	<1	<2	0.29
GRAB	NWR-343	250 Francis Way	2021-08-04 09:19	-	-	15	<1	<1	2	0.36
GRAB	NWR-343	250 Francis Way	2021-08-12 09:20	-	-	18.2	<1	<1	LA	0.23
GRAB	NWR-343	250 Francis Way	2021-08-20 12:04	-	-	16.2	<1	<1	<2	0.26
GRAB	NWR-343	250 Francis Way	2021-08-22 10:17	-	-	16.1	<1	<1	<2	0.27
GRAB	NWR-343	250 Francis Way	2021-08-30 09:01	-	-	14.5	<1	<1	<2	0.29
GRAB	NWR-343	250 Francis Way	2021-08-31 07:58	-	-	13.4	<1	<1	<2	0.27
GRAB	NWR-343	250 Francis Way	2021-09-03 08:40	-	-	14.1	<1	<1	<2	0.37
GRAB	NWR-343	250 Francis Way	2021-09-08 09:35	-	-	16.4	<1	<1	30	0.36
GRAB	NWR-343	250 Francis Way	2021-09-14 09:29	-	-	16	<1	<1	<2	0.46
GRAB	NWR-343	250 Francis Way	2021-09-17 10:36	-	-	12.9	<1	<1	<2	0.3
GRAB	NWR-343	250 Francis Way	2021-09-21 08:01	-	-	15.7	<1	<1	<2	0.67
GRAB	NWR-343	250 Francis Way	2021-09-24 09:09	-	-	12.7	<1	<1	<2	0.58
GRAB	NWR-343	250 Francis Way	2021-09-27 09:11	-	-	14.1	<1	<1	2	0.5
GRAB	NWR-343	250 Francis Way	2021-10-05 09:17	-	-	12.8	<1	<1	<2	0.55
GRAB	NWR-343	250 Francis Way	2021-10-07 12:42	-	-	12.1	<1	<1	<2	0.63

GRAB	NWR-343	250 Francis Way	2021-10-08 11:20	-	-	12	<1	<1	<2	0.62
GRAB	NWR-343	250 Francis Way	2021-10-18 09:54	-	-	10	<1	<1	<2	0.64
GRAB	NWR-343	250 Francis Way	2021-10-19 09:31	-	-	10.7	<1	<1	<2	0.52
GRAB	NWR-343	250 Francis Way	2021-10-21 10:41	-	-	11.1	<1	<1	<2	0.6
GRAB	NWR-343	250 Francis Way	2021-10-25 11:21	-	-	11.2	<1	<1	<2	0.54
GRAB	NWR-343	250 Francis Way	2021-10-27 11:09	-	-	12.5	<1	<1	<2	0.47
GRAB	NWR-343	250 Francis Way	2021-11-01 10:30	-	-	9.9	<1	<1	<2	0.58
GRAB	NWR-343	250 Francis Way	2021-11-05 08:41	-	-	11.4	<1	<1	<2	0.43
GRAB	NWR-343	250 Francis Way	2021-11-07 13:14	-	-	9.3	<1	<1	<2	0.44
GRAB	NWR-343	250 Francis Way	2021-11-09 10:44	-	-	8.4	<1	<1	<2	0.38
GRAB	NWR-343	250 Francis Way	2021-11-15 10:48	-	-	9.2	<1	<1	<2	0.39
GRAB	NWR-343	250 Francis Way	2021-11-17 09:39	-	-	8.1	<1	<1	<2	1.4
GRAB	NWR-343	250 Francis Way	2021-11-22 10:46	-	-	8	<1	<1	<2	1
GRAB	NWR-343	250 Francis Way	2021-11-29 10:19	-	-	8	<1	<1	<2	2.1
GRAB	NWR-343	250 Francis Way	2021-12-01 12:25	-	-	7.8	<1	<1	<2	1.2
GRAB	NWR-343	250 Francis Way	2021-12-07 10:39	-	-	7.3	<1	<1	<2	0.97
GRAB	NWR-343	250 Francis Way	2021-12-14 11:15	-	-	6.6	<1	<1	<2	0.59
GRAB	NWR-343	250 Francis Way	2021-12-22 10:14	-	-	5.8	<1	<1	NA	1.1
GRAB	NWR-343	250 Francis Way	2021-12-31 10:01	-	-	3.5	<1	<1	NA	0.49
GRAB	NWR-344	210 Salter Street	2021-02-25 09:52	-	-	4.8	<1	<1	2	0.34
GRAB	NWR-344	210 Salter Street	2021-03-04 07:54	-	-	5.9	<1	<1	<2	0.56
GRAB	NWR-344	210 Salter Street	2021-03-05 11:29	-	-	5.4	<1	<1	<2	0.9
GRAB	NWR-344	210 Salter Street	2021-03-09 07:41	-	-	6.2	<1	<1	<2	0.66
GRAB	NWR-344	210 Salter Street	2021-03-16 07:44	-	-	6.6	<1	<1	<2	0.32
GRAB	NWR-344	210 Salter Street	2021-03-23 07:48	-	-	6.8	<1	<1	<2	0.29
GRAB	NWR-344	210 Salter Street	2021-03-30 07:42	-	-	7	<1	<1	<2	0.45
GRAB	NWR-344	210 Salter Street	2021-04-09 07:37	-	-	7.2	<1	<1	<2	0.33
GRAB	NWR-344	210 Salter Street	2021-04-15 07:47	-	-	8	<1	<1	<2	0.36
GRAB	NWR-344	210 Salter Street	2021-04-20 07:19	-	-	8.5	<1	<1	<2	0.25
GRAB	NWR-344	210 Salter Street	2021-04-29 07:49	-	-	8.9	<1	<1	2	0.23
GRAB	NWR-344	210 Salter Street	2021-05-06 07:48	-	-	9.4	<1	<1	<2	0.28
GRAB	NWR-344	210 Salter Street	2021-05-13 07:41	-	-	10	<1	<1	<2	0.46

GRAB	NWR-344	210 Salter Street	2021-05-19 07:44	-	-	9.2	<1	<1	<2	0.32
GRAB	NWR-344	210 Salter Street	2021-05-27 06:43	-	-	10.7	<1	<1	<2	0.28
GRAB	NWR-344	210 Salter Street	2021-06-02 07:52	-	-	10.9	<1	<1	<2	0.27
GRAB	NWR-344	210 Salter Street	2021-06-09 07:37	-	-	11.1	<1	<1	<2	0.3
GRAB	NWR-344	210 Salter Street	2021-06-16 07:18	-	-	11.9	<1	<1	<2	0.29
GRAB	NWR-344	210 Salter Street	2021-06-24 07:34	-	-	12.9	<1	<1	<2	0.24
GRAB	NWR-344	210 Salter Street	2021-07-07 07:39	-	-	13.2	<1	<1	<2	0.26
GRAB	NWR-344	210 Salter Street	2021-07-12 07:42	-	-	13.9	<1	<1	<2	0.25
GRAB	NWR-344	210 Salter Street	2021-07-16 09:10	-	-	11.8	<1	<1	<2	0.33
GRAB	NWR-344	210 Salter Street	2021-07-22 07:43	-	-	14.5	<1	<1	<2	0.38
GRAB	NWR-344	210 Salter Street	2021-07-27 07:58	-	-	15.2	<1	<1	<2	0.27
GRAB	NWR-344	210 Salter Street	2021-08-03 07:47	-	-	15.9	<1	<1	<2	0.24
GRAB	NWR-344	210 Salter Street	2021-08-11 07:35	-	-	15.8	<1	<1	<2	0.23
GRAB	NWR-344	210 Salter Street	2021-08-18 07:38	-	-	16.6	<1	<1	<2	0.29
GRAB	NWR-344	210 Salter Street	2021-08-25 08:01	-	-	16.5	<1	<1	<2	0.31
GRAB	NWR-344	210 Salter Street	2021-08-31 09:53	-	-	15.1	<1	<1	4	0.24
GRAB	NWR-344	210 Salter Street	2021-09-10 08:22	-	-	16.6	<1	<1	<2	0.41
GRAB	NWR-344	210 Salter Street	2021-09-15 07:48	-	-	16.1	<1	<1	<2	0.24
GRAB	NWR-344	210 Salter Street	2021-09-21 07:41	-	-	14.9	<1	<1	<2	0.52
GRAB	NWR-344	210 Salter Street	2021-09-24 11:14	-	-	13	<1	<1	6	0.5
GRAB	NWR-344	210 Salter Street	2021-09-29 07:38	-	-	13.4	<1	<1	<2	0.37
GRAB	NWR-344	210 Salter Street	2021-10-05 07:23	-	-	13.5	<1	<1	2	0.53
GRAB	NWR-344	210 Salter Street	2021-10-15 07:41	-	-	12.7	<1	<1	<2	0.42
GRAB	NWR-344	210 Salter Street	2021-10-22 06:47	-	-	12.9	<1	<1	<2	0.42
GRAB	NWR-344	210 Salter Street	2021-10-28 07:34	-	-	10.5	<1	<1	<2	0.4
GRAB	NWR-344	210 Salter Street	2021-11-02 07:38	-	-	10.6	<1	<1	<2	0.41
GRAB	NWR-344	210 Salter Street	2021-11-10 07:36	-	-	9.2	<1	<1	<2	0.38
GRAB	NWR-344	210 Salter Street	2021-11-18 07:32	-	-	8.7	<1	<1	<2	1.3
GRAB	NWR-344	210 Salter Street	2021-11-22 07:46	-	-	8.6	<1	<1	<2	0.86
GRAB	NWR-344	210 Salter Street	2021-12-02 07:35	-	-	8.2	<1	<1	<2	0.91
GRAB	NWR-344	210 Salter Street	2021-12-09 08:01	-	-	8.3	<1	<1	<2	0.74
GRAB	NWR-344	210 Salter Street	2021-12-15 07:38	-	-	6.6	<1	<1	<2	0.54

GRAB	NWR-344	210 Salter Street	2021-12-23 07:40	-	-	5.8	<1	<1	NA	0.5